



**2024**



**BORN FOR REAL WORKERS**

# ACTIVE GEAR

## INNOVATION-QUALITY-SAFETY



### DISTRIBUTION IN



---

**4**









CONTINENTS

AND  
IN MORE  
THAN

**35**

COUNTRIES

# SUMMARY

	<b>GLOVES</b>	<b>4</b>
	Active Cut	10
	Active Flex	20
	Active Grip	26
	Active Ice	34
	Active Strong	36
	Active Welding	42
	Active Chem & Dext	44
	<b>ACTIVE COVER</b>	<b>54</b>
	<b>ACTIVE VISION</b>	<b>66</b>
	<b>ACTIVE AIR</b>	<b>76</b>
	<b>ACTIVE EAR</b>	<b>84</b>
	<b>ACTIVE VISIBILITY</b>	<b>90</b>
	<b>ACTIVE SHOES</b>	<b>100</b>
	<b>ACTIVE ACCESSORIES</b>	<b>114</b>
	Index	116
	Explanation symbols	117





**GLOVES**



# WORK **GLOVES**

**ACTIVE GEAR**

**ENHANCE YOUR HANDS**

**POTENZA LE TUE MANI  
POTENCIA TU MANOS**



# EUROPEAN STANDARDS

## WORK GLOVES



### EN ISO 21420:2020

## EN ISO 21420:2020 GENERAL REQUIREMENTS AND TEST METHODS

The new standard on protective gloves EN ISO 21420: 2020 which replaces the previous standard EN420: 2003 + A1: 2009 defines the general requirements and the corresponding test procedures for the design and manufacture of gloves, safety, comfort, safety efficiency, marking and information provided by the manufacturer, applicable to all protective gloves. In addition, it is indicated that the protective glove must be designed and manufactured so that

the person wearing it can carry out the activity in the most normal way possible with adequate protection. Other requirements contained in the standard concern the health and hygiene of the user, it is in fact specified that the materials must not release substances generally known as toxic, carcinogenic, mutagenic, allergenic, toxic for reproduction, corrosive, sensitizing or irritating.

### EN388:2016



## EN 388:2016 PROTECTION AGAINST MECHANICAL RISKS

The EN 388 standard is the European standard that is used to assess the mechanical risks of protective work gloves. Gloves with this certification are evaluated and classified for abrasion, cutting, laceration and perforation. In November 2016, the

standard was updated with the introduction of a new methodology for the shear strength test, the "TDM-100 Test", which allows for more accurate results to be obtained. The new standard also includes the impact protection test.

### NEW MARKING:

#### EN388:2016



#### 4 X 4 3 C P



- Impact protection > P (if the test passed)
- Cut (TDM test result) > A to F or X
- Perforation > da 1 a 4
- Tear > da 1 a 4
- Coup test > 1 to 5, or X if not tested
- Abrasion (no. Of cycles) > 1 to 4

NEW

NEW


## EXPECTED PERFORMANCE LEVELS FROM THE EN388: 2016 STANDARD


PERFORMANCE LEVELS FROM THE EN388: 2016 STANDARD			1	2	3	4	5
4	ABRASION RESISTANCE	Expressed as the number of cycles	≥ 100"	≥ 500"	≥ 2000"	≥ 8000"	-
X	CUT RESISTANCE WITH BLADES (CUT TEST)	Indice	> 1,2	> 2,5	> 5,0	> 10,0	> 20,0
4	TEAR RESISTANCE	Expressed in Newton	≥ 10"	≥ 25"	≥ 50"	≥ 75"	-
3	PUNCTURE RESISTANCE	Expressed in Newton	≥ 20"	≥ 60"	≥ 100"	≥ 150"	-

MARKING ADDITIONAL		A	B	C	D	E	F
C	 Methodology of the shear strength test EN ISO 13997 TDM expressed in Newton	Cut protection level LOW	Cut protection level MEDIUM	Cut protection level HIGH	Cut protection level HIGH	Cut protection level VERY HIGH	Cut protection level Maximum
P	 Impact protection EN	Pass (P) or Fail					
X	Test not performed						

## MAIN UPDATES WITH NEW EN 388:2016

**OLD**





EN388:2016  
  
4 4 4 2

	RATING
ABRASION	1-4
CUT (TEST COUP)	1-5
TEAR	1-4
PERFORATION	1-4

- In the "coup test" several cycles were repeated using the same blade
- The levels of cut protection they ranged from 1 to 5
- Steel, fiberglass and surfaces could compromise the sharpness of the blade
- For the highest cut resistance levels less accurate results were obtained

**NEW**



EN388:2016  
  
4 X 4 2 C X

	RATING
ABRASION	1-4
CUT (TEST COUP)	1-5
TEAR	1-4
PERFORATION	1-4
CUT (TEST TDM-100)	A-F
IMPACT	P,F,X

- In the new TDM-100 test each blade is used only once
- The cut protection levels range from A to F according to the shear strength and required force measurement to cut the material sample
- The problem related to the smoothing of the sharpening of the blade has been eliminated
- For higher cut resistance levels yes they got less accurate results
- More accurate results regardless of the level of cut resistance (also for gloves made of abrasive fibers)

# EUROPEAN STANDARDS

## WORK GLOVES

EN511:2006



### EN 511:2016 THERMAL PROTECTION

This standard is applied to all gloves that protect against convective or contact cold down to -50 ° C. The reference pictogram is composed of 3 levels of performance which concern specific protection properties.

- 1) Resistance to convective cold (performance level 0-4)  
It is based on the thermal insulation properties of the glove
- 2) Resistance to contact cold (performance level 0-4)  
It is based on the thermal resistance of the material that makes up the glove when exposed to contact with a cold object
- 3) Water penetration (0 or 1)
  - 0 = water penetration
  - 1 = no water penetration

EN 407



ABCDEF

EN 407



ABCDEF

### EN 407:2004 AND EN 407:2020 PROTECTION AGAINST HEAT

The EN 407: 2004 standard measures the flammability resistance of the glove. The endurance test consists of measuring the time it takes to stop burning the glove material after 15 seconds of exposure to a gas flame. The highest level of performance is level 4 corresponding to a maximum delay of two seconds for combustion.

#### THE "HEAT AND FIRE" PICTOGRAM IS ACCOMPANIED BY 6 LEVELS OF PERFORMANCE:

<b>B</b>	<b>RESISTANCE TO HEAT BY CONTACT</b>	Heat resistance is measured by contact. The test consists in calculating the temperature (100 ° C-500 ° C) for which the glove must protect for 15 seconds without increasing its internal temperature by more than ten degrees. The highest performance level is level 4, which indicates that the glove can withstand + 500 ° C.
<b>C</b>	<b>RESISTANCE TO CONVECTIVE HEAT</b>	The resistance to convective heat is measured (= progressively penetrating heat). The test measures the time it takes to increase the temperature inside the glove by 24 degrees when heat is produced by a flame. The highest level of performance is level 4, which is over 18 seconds.
<b>D</b>	<b>RESISTANCE TO RADIANT HEAT</b>	Resistance to radiant heat is measured. The test measures the time it takes for an amount of heat to enter the glove when the glove is exposed to heat radiation. The highest performance level is level 4, which means that the glove provides protection for at least 95 seconds.
<b>E</b>	<b>RESISTANCE TO SMALL PROJECTIONS OF MOLTEN METAL</b>	Resistance to small molten metal projections is measured. The test measures the number of molten metal drops required to raise the glove's internal temperature by 40 ° C. The highest performance level is Level 4 which corresponds to 35 drops or more.
<b>F</b>	<b>RESISTANCE TO LARGE QUANTITIES OF MOLTEN METAL</b>	Resistance to large quantities of molten metal is measured. The test measures the amount of molten iron needed to damage a synthetic material inside the glove. The maximum performance level is level 4, corresponding to 200 grams of liquid metal.

In April 2020, the new EN 407: 2020 standard was introduced which defines the thermal insulation properties of gloves and other hand equipment that must protect from heat and / or flames. The new pictogram indicates that the device is heat resistant but NOT flames.




### EN 12477:2001 + A1 2005 PROTECTIVE GLOVES FOR WELDERS

This standard defines the protection criteria against the risks associated with welding, such as manual cutting or welding of metal, and also defines the welding performance by dividing it between TYPE A and TYPE B, where TYPE A identifies high performance gloves but, consequently, with low dexterity, while on the contrary TYPE B identifies gloves with high dexterity but with more contained performance.



## EN ISO 374-1:2016 E EN ISO 374-5:2015 PROTECTIVE GLOVES AGAINST CHEMICAL AGENTS AND MICROORGANISMS

### One pictogram for three types of gloves

TIPOLOGIA DI GUANTO	REQUIREMENT	MAKING
<b>TYPE A</b>	Waterproofness (EN 374-2) Breakthrough time $\geq$ 30 minutes for at least 6 chemicals of the new list (EN 16523-1)	EN ISO 374-1/ Tipo A  AJKLPR
<b>TYPE B</b>	Waterproofness (EN 374-2) Breakthrough time $\geq$ 30 minutes for at least 3 chemicals of the new list (EN 16523-1)	EN ISO 374-1/ Tipo B  JKL
<b>TYPE C</b>	Waterproofness (EN 374-2) Breakthrough time $\geq$ 10 minutes for at least 1 chemical product of the new list (EN 16523-1)	EN ISO 374-1/ Tipo C 

### 6 new chemicals have been added to the list

CODE	CHEMICAL AGENT	CAS. NUMBER	CLASS
<b>A</b>	Methanol	67-56-1	Primary alcohol
<b>B</b>	Acetone	67-64-1	Ketone
<b>C</b>	Acetonitrile	75-05-8	Nitril
<b>D</b>	Dichloromethane	75-09-2	Chlorinated hydrocarbon
<b>E</b>	Carbon disulfide	75-15-0	Compound of sulfur
<b>F</b>	Toluene	108-88-3	Aromatic hydrocarbon
<b>G</b>	Diethylamine	109-89-7	Amines
<b>H</b>	Tetrahydrofuran	109-99-9	Ethers
<b>I</b>	Ethyl acetate	141-78-6	Foreign
<b>J</b>	N-Heptane	142-82-5	Saturated hydrocarbon
<b>K</b>	Sodium hydroxide 40 %	1310-73-2	Inorganic base
<b>L</b>	Sulfuric acid 96%	7664-93-9	Inorganic mineral acid, oxidant
<b>M</b>	Nitric Acid 65%	7697-37-2	Mineral acid
<b>N</b>	Acetic acid 99%	64-19-7	Organic acid
<b>O</b>	Ammonia 25%	1336-21-6	Organic base
<b>P</b>	Hydrogen peroxide 30%	7722-84-1	Peroxide
<b>S</b>	Hydrofluoric acid 40%	7664-39-3	Inorganic mineral acid
<b>T</b>	Formaldehyde 37%	50-00-0	Aldehyde

EN ISO  
374-5:2016



EN ISO  
374-5:2016



VIRUS

### EN ISO 374-5 : 2016 PROTECTIVE GLOVES AGAINST MICRO ORGANISMS

Gloves must pass the penetration test according to EN 374-2: 2014. Virus protection can be added and declared if the glove passes the ISO 16604: 2004 test (method B).

# EUROPEAN STANDARDS

## WORK GLOVES



### CE 1935/2004 RISKS RELATED TO CONTACT WITH THE PRODUCTS FOOD

It is applied to materials and objects which, as finished products, come into contact with food or water for human consumption. According to the regulation EC 1935/2004, object materials, including active and intelligent materials and objects, must be produced in accordance with good manufacturing practices so that, under normal or foreseeable conditions of use, they do not transfer components to food products in quantities such as to:

- constitute a danger to human health,
- lead to an unacceptable change in the composition of food products or lead to a deterioration of their organoleptic characteristics.



### CE 16350 ELECTROSTATIC PROPERTIES

This European standard defines the test conditions and requirements for electrostatic properties of protective gloves used in ATEX area (ATmosphere Explosive)

## THE MATERIALS PERFORMANCE AND QUALITY

### Support materials

MATERIALS	ADVANTAGE
ACRYLIC	- Resistant to water, the most common solvents, acids, abrasion and traction; - Delicate and warm, insulates from the cold.
COTTON	- Soft, delicate and non-irritating; - Protects from shocks, small vibrations, iron filings, glass splinters; - Absorbs perspiration.
HPPE	- Soft, light and durable; - Resistant to cuts, abrasions and tears; - Insensitive to chemicals.
NYLON	- Elastic and light; - Excellent dexterity; - Excellent resistance to abrasion.
LEATHER	- Breathable, soft and durable; - Resistant to abrasion and cuts; - Protects from multiple risks.
POLYESTER	- Elastic and tenacious; - Resistant to abrasion and heat; - Resistant to chemicals.
SPANDEX	- Very elastic, ergonomic and flexible; - Breathable; - Excellent resistance to abrasion.
UHMWPE (Ultra-high polyethylene molecular weight)	- Excellent comfort; - Excellent grip and dexterity; - Very cut resistant.
LATEX	- Very flexible and elastic; - Resistant to tearing and creasing; - Very robust and waterproof; - Protects from weak acids, caustics, viruses and bacteria.
NITRILE	- Resistant to cuts and abrasions; - Resistant to oils, greases and hydrocarbons; - Resistant to puncture; - Heat resistant.
PU	- Very flexible and elastic; - Breathable; - Resistant to abrasion.



**GLOVES**



# ACTIVE CUT

**CUT RESISTANT GLOVES**

**GUANTI ANTITAGLIO**

**GUANTES RESISTENTES A CORTES**

**YOUR PROTECTION AGAINST CUT RISKS**

**LA TUA PROTEZIONE CONTRO I RISCHI DA TAGLIO  
SU PROTECCIÓN CONTRA LOS RIESGOS DE CORTE**



# ACTIVE CUT



## C3160

18G - Nylon/spandex/HPPE - **4X42B**  
 Black microfoam nitrile  
 Schiuma di nitrile nero  
 Espuma de nitrilo negro



Cut Protection  
 Guanti antitaglio  
 Guantes anticorte



Latex free



Silicon free



Touch screen

### STANDARDS

EN388:2016  
 + A1:2018



4X42B



EN ISO  
 21420:2020



CAT II

Size	Individual polybag
6/XS	C3156
7/S	C3157
8/M	C3158
9/L	C3159
10/XL	C3160
11/XXL	C3161

### PACKAGING



## C8240

18G - Nylon/spandex/HPPE - **4X41C**  
 Grey PU  
 PU grigio  
 PU gris



Cut Protection  
 Guanti antitaglio  
 Guantes anticorte



Latex free



Touch screen

### STANDARDS

EN388:2016  
 + A1:2018



4X41C



EN ISO  
 21420:2020



CAT II

Size	Individual polybag
6/XS	C8236
7/S	C8237
8/M	C8238
9/L	C8239
10/XL	C8240
11/XXL	C8241

### PACKAGING



## C8170

13G - HPPE - **4X43D**  
 Grey PU  
 PU grigio  
 PU gris



Cut Protection  
 Guanti antitaglio  
 Guantes anticorte



Latex free

### STANDARDS

EN388:2016  
 + A1:2018



4X43D




EN ISO  
 21420:2020



CAT II

Size	Individual polybag
6/XS	C8166
7/S	C8167
8/M	C8168
9/L	C8169
10/XL	C8170
11/XXL	C8171

### PACKAGING





# GLOVES



## C8220



13G - HPPE/Nylon/Spandex - **4X43D**  
 Grey PU  
 PU grigio  
 PU gris



Cut Protection  
 Guanti antitaglio  
 Guantes anticorte



Latex free

### STANDARDS

EN388:2016  
 + A1:2018



4X43D



EN ISO  
 21420:2020



CAT II

Size	Individual polybag
6/XS	C8216
7/S	C8217
8/M	C8218
9/L	C8219
10/XL	C8220
11/XXL	C8221

### PACKAGING



x12



x10



120



## C8120



13G - Nylon/spandex/HPPE - **4X43D**  
 Black PU  
 PU nero  
 PU negro



Cut Protection  
 Guanti antitaglio  
 Guantes anticorte



Latex free



Silicon free



Touch screen

### STANDARDS

EN388:2016  
 + A1:2018



4X43D



X1XXXX



EN ISO  
 21420:2020



CAT II

Size	Individual polybag
6/XS	C8116
7/S	C8117
8/M	C8118
9/L	C8119
10/XL	C8120
11/XXL	C8121

### PACKAGING



x12



x10



120



## C1180



13G - Nylon/spandex/HPPE - **4X43D**  
 Black Diamond Grip Latex  
 Latex nero Diamond Grip  
 Látex negro Diamond Grip



Cut Protection  
 Guanti antitaglio  
 Guantes anticorte



Chemical free

### STANDARDS

EN388:2016  
 + A1:2018



4X43D



EN ISO  
 21420:2020



CAT II

Size	Individual polybag
6/XS	C1176
7/S	C1177
8/M	C1178
9/L	C1179
10/XL	C1180
11/XXL	C1181

### PACKAGING



x12



x10



120

# ACTIVE CUT



## C3210

13G - Nylon/spandex/HPPE - **4X43D**  
 Black microfoam nitrile  
 Schiuma di nitrile nero  
 Espuma de nitrilo negro



Cut Protection  
 Guanti antitaglio  
 Guantes anticorte



Latex free



Silicon free



Touch screen

### STANDARDS

EN388:2016  
 + A1:2018



EN ISO  
 21420:2020



CAT II

Size	Individual polybag
7/5	C3207
8/M	C3208
9/L	C3209
10/XL	C3210
11/XXL	C3211

### PACKAGING



x12



x10



120



## C3180

13G - Nylon/spandex/HPPE - **4X43D**  
 Blue nitrile smooth (1) + Black sandy nitrile (2)  
 Nitrile liscio blu (1) + Nitrile sabbaiato nero (2)  
 Nitrilo azul liso (1) + Nitrilo arenado negro (2)



Cut Protection  
 Guanti antitaglio  
 Guantes anticorte



Latex free



Silicon free

### STANDARDS

EN388:2016  
 + A1:2018



EN407:2020



X1XXXX



EN ISO  
 21420:2020



CAT II

Size	Individual polybag
6/XS	C3176
7/5	C3177
8/M	C3178
9/L	C3179
10/XL	C3180
11/XXL	C3181

### PACKAGING



x12



x10



120



## C3190

13G - Nylon/spandex/HPPE - **4X43D**  
 Blue nitrile smooth (1) + Black sandy nitrile (2)  
 Nitrile liscio blu (1) + Nitrile sabbaiato nero (2)  
 Nitrilo azul liso (1) + Nitrilo arenado negro (2)



Cut Protection  
 Guanti antitaglio  
 Guantes anticorte



Latex free



Silicon free

### STANDARDS

EN388:2016  
 + A1:2018



4X43D

EN407:2020



X1XXXX



EN ISO  
 21420:2020



CAT II

Size	Individual polybag
7/5	C3187
8/M	C3188
9/L	C3189
10/XL	C3190
11/XXL	C3191

### PACKAGING



x12



x10



120





# GLOVES



## C3260



13G - HPPE - **4X44D**

Black sandy nitrile

Nitrile sabbaiato nero

Nitrilo arenado negro



Cut Protection  
Guanti antitaglio  
Guantes anticorte



Latex free

### STANDARDS

EN388:2016  
+ A1:2018



4X44D

EN407:2020



X1XXXX



EN ISO  
21420:2020



CAT II

Size	Individual polybag
6/XS	C3256
7/S	C3257
8/M	C3258
9/L	C3259
10/XL	C3260
11/XXL	C3261

### PACKAGING



x12



x10



120



## C3360



13G - Nylon/ spandex/HPPE - **4X44D**

Black sandy nitrile

Nitrile sabbaiato nero

Nitrilo arenado negro



Cut Protection  
Guanti antitaglio  
Guantes anticorte



Latex free

### STANDARDS

EN388:2016  
+ A1:2018



4X44D

EN407:2020



X1XXXX



EN ISO  
21420:2020



CAT II

Size	12 pairs per polybag
7/S	C3357
8/M	C3358
9/L	C3359
10/XL	C3360
11/XXL	C3361

### PACKAGING



x12



x10



120



## C3370



13G - Nylon/ spandex/HPPE - **4X44D**

Black microfoam nitrile

Schiuma di nitrile nero

Espuma de nitrilo negro



Cut Protection  
Guanti antitaglio  
Guantes anticorte



Latex free

### STANDARDS

EN388:2016  
+ A1:2018



4X43D

EN407:2020



X1XXXX



EN ISO  
21420:2020



CAT II

Size	Individual polybag
6/XS	C3366
7/S	C3367
8/M	C3368
9/L	C3369
10/XL	C3370
11/XXL	C3371

### PACKAGING



x12



x10



120

# ACTIVE CUT



## C3320



13G - Nylon/spandex/HPPE - **4X43E**

Black foam sandy nitrile - thumb reinforcement

Schiuma di nitrile traspirante sabbiato nero - rinforzo del pollice

Espuma de nitrilo transpirable arenado negro - refuerzo pulgar



Cut Protection Latex free Touch screen  
Guanti antitaglio Guantes anticorte

### STANDARDS

EN388:2016 + A1:2018



EN ISO 21420:2020



4X43E

CAT II

Size	Individual polybag
7/S	C3317
8/M	C3318
9/L	C3319
10/XL	C3320
11/XXL	C3321

### PACKAGING



x12

x10

120



## C8180



13G - HPPE - **4X43E**

Grey PU

PU grigio

PU gris



Cut Protection Latex free  
Guanti antitaglio Guantes anticorte

### STANDARDS

EN388:2016 + A1:2018



EN ISO 21420:2020



4X42F

CAT II

Size	Individual polybag
7/S	C8177
8/M	C8178
9/L	C8179
10/XL	C8180
11/XXL	C8181

### PACKAGING



x12

x10

120



## C3280



13G - UHMWPE/Basalt/Spandex - **4X43F**

Black foam sandy nitrile - thumb reinforcement

Schiuma di nitrile traspirante sabbiato nero - rinforzo del pollice

Espuma de nitrilo transpirable arenado negro - refuerzo pulgar



Cut Protection Latex free Silicon free  
Guanti antitaglio Guantes resistentes a cortes

### STANDARDS

EN388:2016 + A1:2018



EN407:2020



4X43F

X1XXXX

EN ISO 21420:2020

CAT II

Size	Individual polybag
7/S	C3277
8/M	C3278
9/L	C3279
10/XL	C3280
11/XXL	C3281

### PACKAGING



x12

x10

120



# GLOVES



## C3290



13G - HPPE - **4X43FP**

Black nitrile smooth (1) + black sandy nitrile (2) - TPR impact reinforcement - Kevlar thumb reinforcement

Nitrile liscio nero (1) + nitrile sabbaiato nero (2) - rinforzo antiurto - rinforzo pollice con cuciture in kevlar

Nitrilo liso negro (1) + nitrilo arenado negro (2) - protección contra impactos - refuerzo pulgar con costuras de kevlar



Cut Protection  
Guanti antitaglio  
Guantes anticorte



Latex free



Impact resistant  
Protezione dagli  
impatti  
Protección  
contra impactos

### STANDARDS

EN388:2016  
+ A1:2018



4X43FP



EN ISO  
21420:2020



CAT II

Size	Individual polybag
8/M	C3288
9/L	C3289
10/XL	C3290
11/XXL	C3291

### PACKAGING



x12



x5



60



## C3490



13G - HPPE - **4X43FP**

Black nitrile smooth (1) + black sandy nitrile (2) - TPR impact reinforcement - Kevlar thumb reinforcement

Nitrile liscio nero (1) + nitrile sabbaiato nero (2) - rinforzo antiurto - rinforzo pollice con cuciture in kevlar

Nitrilo liso negro (1) + nitrilo arenado negro (2) - protección contra impactos - refuerzo pulgar con costuras de kevlar



Cut Protection  
Guanti antitaglio  
Guantes anticorte



Latex free



Impact resistant  
Protezione dagli  
impatti  
Protección  
contra impactos

### STANDARDS

EN388:2016  
+ A1:2018



4X43FP

EN407:2020



X1XXXX



EN ISO  
21420:2020



CAT II

Size	Individual polybag
9/L	C3289
10/XL	C3290

### PACKAGING



x12



x5



60



## CRS35/45/60

13G - HPPE/Polyester/Spandex - **2X4XD**

Length: 35cm/45cm/60cm

Lunghezza: 35cm/45cm/60cm

Longitud: 35cm/45cm/60cm



Cut Protection  
Manicotti antitaglio  
Maniguitos anticorte



Latex free



Silicon free



### STANDARDS

EN388:2016  
+ A1:2018



2X4XD



X1XXXX



EN ISO  
21420:2020



CAT II

Size	Individual polybag
35 CM	CRS635
45 CM	CRS645
60 CM	CRS660

### PACKAGING



x12



x5



60



## ACTIVE CUT





# AGX

HIGH PERFORMANCE FIBER



**AGX FIBER IS A MODIFIED ULTRA-HIGH MOLECULAR WEIGHT POLYETHYLENE FIBER. IT IS THE HARDEST SUBSTANCE THAT EXISTS NATURALLY IN NATURE AND IS 15X STRONGER THAN HPPE ON AN EQUIVALENT WEIGHT. AGX FIBER DOES NOT USE AUXILIARY MATERIALS SUCH AS STEEL WIRE AND GLASS FIBER, MAKING IT A HYPOALLERGENIC FIBER. ASSOCIATED WITH NYLON AND SPANDEX, AGX FIBER OFFERS OUTSTANDING SOFTNESS, LIGHTNESS, AND DEXTERITY. UP TO 10 CLEANING CYCLES WITHOUT A SIGNIFICANT IMPACT ON SHAPE, SOFTNESS, AND CUT RESISTANCE PERFORMANCE.**



**AGX FIBER È UNA FIBRA DI POLIETILENE AD ALTO PESO MOLECOLARE MODIFICATO. È LA SOSTANZA PIÙ DURA CHE ESISTA NATURALMENTE IN NATURA ED È 15 VOLTE PIÙ RESISTENTE DELL'HPPE A PARITÀ DI PESO. LA FIBRA AGX NON UTILIZZA MATERIALI AUSILIARI COME FILO D'ACCIAIO E FIBRA DI VETRO, RENDENDOLA UNA FIBRA IPOALLERGENICA. ASSOCIATA A NYLON E SPANDEX, LA FIBRA AGX OFFRE MORBIDEZZA, LEGGEREZZA E DESTREZZA ECCEZIONALI. FINO A 10 CICLI DI PULIZIA SENZA UN IMPATTO SIGNIFICATIVO SULLA FORMA, MORBIDEZZA E PRESTAZIONI DI RESISTENZA AL TAGLIO.**



**AGX FIBER ES UNA FIBRA DE POLIETILENO DE PESO MOLECULAR ULTRAALTO MODIFICADO. ES LA SUSTANCIA MÁS DURA QUE EXISTE NATURALMENTE EN LA NATURALEZA Y ES 15 VECES MÁS FUERTE QUE EL HPPE CON UN PESO EQUIVALENTE. LA FIBRA AGX NO UTILIZA MATERIALES AUXILIARES COMO ALAMBRE DE ACERO Y FIBRA DE VIDRIO, LO QUE LA CONVIERTE EN UNA FIBRA HIPOALERGÉNICA. ASOCIADA CON NAILON Y SPANDEX, LA FIBRA AGX OFRECE UNA SUAVIDAD, LIGEREZA Y DESTREZA EXCEPCIONALES. HASTA 10 CICLOS DE LIMPIEZA SIN UN IMPACTO SIGNIFICATIVO EN LA FORMA, SUAVIDAD Y RENDIMIENTO DE RESISTENCIA AL CORTE.**



# ACTIVE CUT



## C3170



15G - AGX Fiber/Nylon/Spandex  
**4X43D**

Black microfoam nitrile - thumb reinforcement

Schiuma di nitrile traspirante nero - rinforzo pollice

Espuma de nitrilo transpirable negro - refuerzo pulgar



Cut Protection Latex free Touch screen  
Guanti antitaglio Guantes anticorte

**AGX**  
HIGH PERFORMANCE FIBER

### STANDARDS



Size	Individual polybag
6/XS	C3316
7/S	C3317
8/M	C3318
9/L	C3319
10/XL	C3320
11/XXL	C3321

### PACKAGING



## C8260



15G - AGX Fiber/Nylon/Spandex  
**4X43D**

Black PU - thumb reinforcement

PU nero - rinforzo pollice

PU negro - refuerzo pulgar



Cut Protection Latex free  
Guanti antitaglio Guantes anticorte


**AGX**  
HIGH PERFORMANCE FIBER

### STANDARDS



Size	Individual polybag
6/XS	C8256
7/S	C8257
8/M	C8258
9/L	C8259
10/XL	C8260
11/XXL	C8261

### PACKAGING



## C8280



18G - UAGX Fiber/Nylon/Spandex  
**3X42D**

Black PU - thumb reinforcement

PU nero - rinforzo pollice

PU negro - refuerzo pulgar



Cut Protection Latex free  
Guanti antitaglio Guantes anticorte

**AGX**  
HIGH PERFORMANCE FIBER

### STANDARDS




Size	Individual polybag
6/XS	C8276
7/S	C8277
8/M	C8278
9/L	C8279
10/XL	C8280
11/XXL	C8281

### PACKAGING





**GLOVES**



# ACTIVE **FLEX** GLOVES

**MAXIMUM BREATHABILITY, DEXTERITY AND  
COMFORT FOR PRECISION WORK**

**MASSIMA TRASPIRABILITA', DESTREZZA E COMFORT PER LAVORI  
DI PRECISIONE**

**MÁXIMA TRANSPIRABILIDAD, DESTREZA Y COMODIDAD PARA  
TRABAJOS DE PRECISIÓN**



# ACTIVE FLEX



## F8140

13G - Polyester - **3131X**  
White/Grey/Black PU  
PU bianco/grigio/nero  
PU blanco/gris/negro



Latex free

## F8150

## F8160

## F8250

18G - Nylon - **3131X**  
Black PU  
PU nero  
PU negro



Touch screen

### STANDARDS

EN388:2016  
+ A1:2018



EN ISO  
21420:2020



CAT II

### F8140/F8140NP/F8140VM

Size	Individual polybag	12 pairs per polybag	Individual polybag for Vending Machine
6/XS	F8136	F8136NP	F8136VM
7/S	F8137	F8137NP	F8137VM
8/M	F8138	F8138NP	F8138VM
9/L	F8139	F8139NP	F8139VM
10/XL	F8140	F8140NP	F8140VM
11/XXL	F8141	F8141NP	-

### F8150/F8150NP

Size	Individual polybag	12 pairs per polybag
6/XS	F8146	F8146NP
7/S	F8147	F8147NP
8/M	F8148	F8148NP
9/L	F8149	F8149NP
10/XL	F8150	F8150NP
11/XXL	F8151	F8151NP

### F8160/F8160NP/F8160CH

Size	Individual polybag	12 pairs per polybag	Individual carton header
6/XS	F8156	F8156NP	-
7/S	F8157	F8157NP	-
8/M	F8158	F8158NP	F8158CH
9/L	F8159	F8159NP	F8159CH
10/XL	F8160	F8160NP	F8160CH
11/XXL	F8161	F8161NP	F8161CH
12/XXXL	-	F8162NP	-

### PACKAGING



### PACKAGING ONLY FOR F8140VM

SOLO PER F8140VM/SOLO PARA F8140VM



### STANDARDS

EN388:2016  
+ A1:2018



EN ISO  
21420:2020



CAT II

### F8250/F8250NP

Size	12 pairs per polybag	Individual carton header
6/XS	F8246NP	F8246CH
7/S	F8247NP	F8247CH
8/M	F8248NP	F8248CH
9/L	F8249NP	F8249CH
10/XL	F8250NP	F8250CH
11/XXL	F8251NP	F8251CH

### PACKAGING





# GLOVES



## F8210

13G - Polyester/Carbon - **3121X**  
EN16350 (ESD)  
PU



Latex free



Touch screen



Anti-static



Electro Static Discharge

### STANDARDS

EN388:2016  
+ A1:2018



3121X

EN16350:2014



EN ISO  
21420:2020



CAT II

Size	12 pairs per polybag
6/XS	F8206
7/S	F8207
8/M	F8208
9/L	F8209
10/XL	F8210
11/XXL	F8211

### PACKAGING



x12



x10



120



## F3220

13G - Polyester - **4121X**  
Black nitrile  
Nitrile nero  
Nitrilo negro



Latex free

### STANDARDS

EN388:2016  
+ A1:2018



4121X



EN ISO  
21420:2020



CAT II

### F3220/F3220NP/F3220CH

Size	Individual polybag	12 pairs per polybag	Individual carton header
6/XS	F3216	F3216NP	-
7/S	F3217	F3217NP	F3217CH
8/M	F3218	F3218NP	F3218CH
9/L	F3219	F3219NP	F3219CH
10/XL	F3220	F3220NP	F3220CH
11/XXL	F3211	F3211NP	F3211CH

### PACKAGING



x12



x10



120



## F3230

13G - Polyester - **4121X**  
Black nitrile  
Nitrile nero  
Nitrilo negro



Latex free

### STANDARDS

EN388:2016  
+ A1:2018



4121X



EN ISO  
21420:2020



CAT II

Size	Individual polybag
7/S	F3227
8/M	F3228
9/L	F3229
10/XL	F3230
11/XXL	F3231

### PACKAGING



x12



x10



120

# ACTIVE FLEX



## F3410

13G - Polyester - **4121X**  
 Black nitrile  
 Nitrile nero  
 Nitrilo negro



Latex free

### STANDARDS

EN388:2016  
 + A1:2018



EN ISO  
 21420:2020



Size	12 pairs per polybag
8/M	F3408
9/L	F3409
10/XL	F3410
11/XXL	F3411

### PACKAGING



## F3420

13G - Polyester - **4121X**  
 Grey nitrile  
 Nitrile grigio  
 Nitrilo gris



Latex free

### STANDARDS

EN388:2016  
 + A1:2018



EN 420:2003  
 +A1:2009



### F3420NP/F3420CH

Size	12 pairs per polybag	Individual carton header
7/S	F3417NP	F3417CH
8/M	F3418NP	F3418CH
9/L	F3419NP	F3419CH
10/XL	F3420NP	F3420CH
11/XXL	F3421NP	F3421CH

### PACKAGING



## F3330

13G - Polyester - **4121X**  
 Black microfoam nitrile  
 Schiuma di nitrile nero  
 Espuma de nitrilo negro



Latex free



Silicon free



Touch screen

### STANDARDS

EN388:2016  
 + A1:2018



EN ISO  
 21420:2020



Size	12 pairs per polybag
7/S	F3327
8/M	F3328
9/L	F3329
10/XL	F3330
11/XXL	F3331

### PACKAGING





# GLOVES



## F3310

15G - Nylon/Spandex - **3121X**  
 Grey lunar foam nitrile  
 Schiuma di nitrile lunare grigia  
 Espuma de nitrilo lunar gris



Latex free



Touch screen



## F3270

15G - Nylon/spandex - **4131X**  
 Black microfoam nitrile  
 Schiuma di nitrile nero  
 Espuma de nitrilo negro



Latex free



Silicon free



Touch screen



Tested for harmful substances according to Oeko-Tex® Standard 100 15.HCN.70502 Institute



## F3270D

15G - Nylon/spandex - **4131X**  
 Black microfoam nitrile with dots  
 Schiuma di nitrile nero con puntini  
 Espuma de nitrilo negro con puntos



Latex free



Silicon free



Touch screen



Tested for harmful substances according to Oeko-Tex® Standard 100 15.HCN.70502 Institute

### STANDARDS

EN388:2016 + A1:2018



3121X



EN ISO 21420:2020



CAT II

Size	Individual polybag
6/XS	F3306
7/S	F3307
8/M	F3308
9/L	F3309
10/XL	F3310
11/XXL	F3311

### PACKAGING



x12



x10



120

### STANDARDS

EN388:2016 + A1:2018



4131X



EN ISO 21420:2020



CAT II

Size	Individual polybag
6/XS	F3266
7/S	F3267
8/M	F3268
9/L	F3269
10/XL	F3270
11/XXL	F3271

### PACKAGING



x12



x10



120

### STANDARDS

EN388:2016 + A1:2018



4131X



X1XXXX



EN ISO 21420:2020



CAT II

Size	Individual polybag
6/XS	F3266D
7/S	F3267D
8/M	F3268D
9/L	F3269D
10/XL	F3270D
11/XXL	F3271D

### PACKAGING



x12



x10



120





## F3130

15G - Nylon/spandex - **4131X**  
 Black breathable microfoam nitrile  
 Schiuma di nitrile traspirante nero  
 Espuma de nitrilo transpirable negro



Latex free



Silicon free



Touch screen



### STANDARDS

EN388:2016  
 + A1:2018



4131X



EN ISO  
 21420:2020



CAT II

Size	Individual polybag
6/XS	F3126
7/5	F3127
8/M	F3128
9/L	F3129
10/XL	F3130
11/XXL	F3131
12/XXXL	F3132

### PACKAGING



x12



x10



120



## F3140

15G - Nylon/spandex - **4131X**  
 Black breathable microfoam nitrile with dots  
 Schiuma di nitrile traspirante nero con puntini  
 Espuma de nitrilo transpirable negro con puntos



Latex free



Silicon free



Touch screen



### STANDARDS

EN388:2016  
 + A1:2018



4131X



EN ISO  
 21420:2020



CAT II

### F3140/F3140CH

Size	12 pairs per polybag	Individual carton header
6/XS	F3136	-
7/5	F3137	-
8/M	F3138	F3138CH
9/L	F3139	F3139CH
10/XL	F3140	F3140CH
11/XXL	F3141	F3141CH

### PACKAGING



x12



x10



120

# ACTIVE FLEX



## F3150

15G - Nylon/spandex - **4131X**  
 Black breathable microfoam nitrile with dots  
 Schiuma di nitrile traspirante nero con puntini  
 Espuma de nitrilo transpirable negro con puntos



Latex free



Silicon free



Touch screen



### STANDARDS

EN388:2016  
 + A1:2018



4131X



EN ISO  
 21420:2020



CAT II

Size	Individual polybag
6/XS	F3146
7/5	F3147
8/M	F3148
9/L	F3149
10/XL	F3150
11/XXL	F3151

### PACKAGING



x12



x10



120



**GLOVES**



# **ACTIVE GRIP** **GLOVES**

***MAXIMUM RESISTANCE, EXTRA GRIP AND EXCELLENT  
VERSATILITY***

***MASSIMA RESISTENZA, EXTRA GRIP ED ECCELLENTE VERSATILITA'***

***MÁXIMA RESISTENCIA, AGARRE EXTRA Y EXCELENTE  
VERSATILIDAD***



## G1140

10G - Polyester - **2142X**  
 Orange crinkle latex  
 Lattice increspato arancione  
 Látex ondulado naranja

### STANDARDS

EN388:2016  
 + A1:2018



EN ISO  
 21420:2020



CAT II

### G1140/G1140NP

Size	Individual polybag	12 pairs per polybag
8/M	G1138	G1138NP
9/L	G1139	G1139NP
10/XL	G1140	G1140NP
11/XXL	G1141	G1141NP

### PACKAGING



x12



x10



120



## G1270

13G - Polyester - **3131X**  
 Black crinkle latex  
 Lattice increspato nero  
 Látex ondulado negro

### STANDARDS

EN388:2016  
 + A1:2018



EN ISO  
 21420:2020



CAT II

Size	Individual carton header
7/5	G1267NP
8/M	G1268NP
9/L	G1269NP
10/XL	G1270NP
11/XXL	G1271NP

### PACKAGING



x12



x10



120

# ACTIVE GRIP



## G1170

13G - Polyester - **3131X**  
 Black crinkle latex  
 Lattice increspato nero  
 Látex ondulado negro

### STANDARDS

EN388:2016  
 + A1:2018



EN ISO  
 21420:2020



CAT II

### G1170/G1170NP/G1170CH

Size	Individual polybag	12 pairs per polybag	Individual carton header
6/XS	-	G1166NP	-
7/5	G1167	G1167NP	G1167CH
8/M	G1168	G1168NP	G1168CH
9/L	G1169	G1169NP	G1169CH
10/XL	G1170	G1170NP	G1170CH
11/XXL	G1171	G1171NP	G1171CH

### PACKAGING



x12



x10



120





## GLOVES



### G1190

13G - Polyester - **2131X**

Black latex foam

Schiuma di lattice nero

Espuma de látex negro

#### STANDARDS

EN388:2016  
+ A1:2018



2131X



EN ISO  
21420:2020



CAT II

#### G1190/G1190CH

Size	Individual polybag	Individual carton header
6/XS	G1186	-
7/S	G1187	-
8/M	G1188	G1188CH
9/L	G1189	G1189CH
10/XL	G1190	G1190CH
11/XXL	G1191	G1191CH

#### PACKAGING



x12



x10



120



### G1210

13G - Polyester - **2131X**

Black Sandy latex

Lattice sabbaiato nero

Látex arenado negro

#### STANDARDS

EN388:2016  
+ A1:2018



2131X



EN ISO  
21420:2020



CAT II

Size	12 pairs per polybag
8/M	G1208
9/L	G1209
10/XL	G1210
11/XXL	G1211

#### PACKAGING



x12



x10



120





## G1510

Cotton interlock fabric with 3/4 green latex dipping - **2121X**

Cotone interlock con lattice increspato verde 3/4

Algodón interlock con látex ondulado verde 3/4

### STANDARDS

EN388:2016  
+ A1:2018



EN ISO  
21420:2020



CAT II

Size	12 pairs per polybag
8/M	G1508
9/L	G1509
10/XL	G1510
11/XXL	G1511

### PACKAGING



## G1150

13G - Polyester - **2131X**

Blue latex smooth (1) + black sandy latex (2)

Lattice liscio blu (1) + Lattice sabbato nero (2)

Látex liso azul (1) + Látex arenado negro (2)

### STANDARDS

EN388:2016  
+ A1:2018



EN ISO  
21420:2020



CAT II

Size	Individual polybag
6/XS	G1146
7/S	G1147
8/M	G1148
9/L	G1149
10/XL	G1150
11/XXL	G1151

### PACKAGING



## ACTIVE GRIP



## G3340

13G - Polyester - **4121X**

Black sandy nitrile

Nitrile sabbato nero

Nitrilo arenado negro



Latex free



Silicon free

### STANDARDS

EN388:2016  
+ A1:2018



EN ISO  
21420:2020



CAT II

Size	12 pairs per polybag
7/S	G3337NP
8/M	G3338NP
9/L	G3339NP
10/XL	G3340NP
11/XXL	G3341NP

### PACKAGING





# GLOVES



## G3380

15G - Nylon/spandex - **4131X**  
 Black sandy nitrile  
 Nitrile sabbiato nero  
 Nitrilo arenado negro



Latex free



Silicon free

### STANDARDS

EN388:2016  
+ A1:2018



4131X



EN ISO  
21420:2020



CAT II

Size	12 pairs per polybag
7/S	G3377NP
8/M	G3378NP
9/L	G3379NP
10/XL	G3380NP
11/XXL	G3381NP

### PACKAGING



x12



x10



120



## G3350

13G - Polyester - **4121X**  
 Grey nitrile smooth (1) + Black sandy  
 nitrile (2)  
 Nitrile liscio grigio (1) + Nitrile sabbiato nero (2)  
 Nitrilo liso gris (1) + Nitrilo arenado negro (2)



Latex free

### STANDARDS

EN388:2016  
+ A1:2018



4121X



EN ISO  
21420:2020



CAT II

Size	12 pairs per polybag
7/S	G3347NP
8/M	G3348NP
9/L	G3349NP
10/XL	G3350NP
11/XXL	G3351NP

### PACKAGING



x12



x10



120



## G3240

13G - Polyester - **4121X**  
 Black nitrile smooth (1) + Black sandy  
 nitrile (2)  
 Nitrile liscio nero (1) + Nitrile sabbiato nero (2)  
 Nitrilo liso negro (1) + Nitrilo arenado negro (2)



Latex free

### STANDARDS

EN388:2016  
+ A1:2018



4121X



EN ISO  
21420:2020



CAT II

### G3240/G3240NP

Size	Individual polybag	12 pairs per polybag
7/S	G3237	G3237NP
8/M	G3238	G3238NP
9/L	G3239	G3239NP
10/XL	G3240	G3240NP
11/XXL	G3241	G3241NP

### PACKAGING



x12



x10



120

# ACTIVE GRIP



## G3110

15G - Nylon/spandex - **4121X**

Black nitrile smooth (1) + black sandy nitrile (2)

Nitrile liscio nero (1) + Nitrile sabbiato nero (2)

Nitrilo liso negro (1) + Nitrilo arenado negro (2)



Latex free



Silicon free

### STANDARDS

EN388:2016  
+ A1:2018



EN ISO  
21420:2020



CAT II

Size	Individual polybag
6/XS	G3106
7/S	G3107
8/M	G3108
9/L	G3109
10/XL	G3110
11/XXL	G3111

### PACKAGING



x12



x10



120



## G3120

15G - Nylon/spandex - **4121X**

Black nitrile smooth (1) + black sandy nitrile (2)

Nitrile liscio nero (1) + Nitrile sabbiato nero (2)

Nitrilo liso negro (1) + Nitrilo arenado negro (2)



Latex free



Silicon free

### STANDARDS

EN388:2016  
+ A1:2018



EN ISO  
21420:2020



CAT II

Size	Individual polybag
6/XS	G3116
7/S	G3117
8/M	G3118
9/L	G3119
10/XL	G3120
11/XXL	G3121

### PACKAGING



x12



x10



120



## G3250

15G - Polyester - **4121X**

Blue nitrile smooth (1) + black sandy nitrile (2)

Nitrile liscio blu (1) + Nitrile sabbiato nero (2)

Nitrilo liso azul (1) + Nitrilo arenado negro (2)



Latex free

### STANDARDS

EN388:2016  
+ A1:2018



EN ISO  
21420:2020



CAT II

### G3250/G3250CH

Size	Individual polybag	Individual carton header
6/XS	G3246	-
7/S	G3247	G3247CH
8/M	G3248	G3248CH
9/L	G3249	G3249CH
10/XL	G3250	G3250CH
11/XXL	G3251	G3251CH

### PACKAGING



x12



x10



120



# GLOVES



## G3570

Cotton jersey liner 3/4 blue nitrile coated - **4111X**

Jersey di cotone e nitrile liscio blu 3/4  
Jersey de algodón y nitrilo azul liso 3/4



Latex free

### STANDARDS

EN388:2016  
+ A1:2018



EN ISO  
21420:2020



Size	12 pairs per polybag
8/M	G3568
9/L	G3569
10/XL	G3570
11/XXL	G3571

### PACKAGING



## G3560

Cotton jersey liner fully blue nitrile coated - **4111X**

Jersey di cotone e nitrile liscio blu  
Jersey de algodón y nitrilo azul liso



Latex free

### STANDARDS

EN388:2016  
+ A1:2018



EN ISO  
21420:2020



Size	12 pairs per polybag
8/M	G3558
9/L	G3559
10/XL	G3560
11/XXL	G3561

### PACKAGING



## G3540

Cotton jersey liner fully nitrile coated with safety cuff - **4111X**

Jersey di cotone e nitrile liscio blu  
Jersey de algodón y nitrilo azul liso



Latex free

### STANDARDS

EN388:2016  
+ A1:2018



EN ISO  
21420:2020



Size	12 pairs per polybag
8/M	G3538
9/L	G3539
10/XL	G3540
11/XXL	G3541

### PACKAGING





# ACTIVE GRIP



## G3580

Cotton interlock fabric with 3/4 yellow nitrile dipping - **3111X**

Cotone interlock con nitrile giallo 3/4  
Algodón interlock con nitrilo amarillo 3/4



Latex free

### STANDARDS

EN388:2016  
+ A1:2018



EN ISO  
21420:2020



CAT II

Size	12 pairs per polybag
8/M	G3578
9/L	G3579
10/XL	G3580
11/XXL	G3581

### PACKAGING



## G3580B

Cotton interlock fabric with 3/4 blue nitrile dipping - **3111X**

Cotone interlock con nitrile blu 3/4  
Algodón interlock con nitrilo azul 3/4



Latex free

### STANDARDS

EN388:2016  
+ A1:2018



EN ISO  
21420:2020



CAT II

Size	12 pairs per polybag
8/M	G3578B
9/L	G3579B
10/XL	G3580B
11/XXL	G3581B

### PACKAGING





## GLOVES



### I1120

10G - Acrylic terry - **2242X**  
 Coffee sandy latex  
 Lattice sabbaiato marrone  
 Látex arenado marrón



Silicon free



Resistant to extreme temperature

#### STANDARDS

EN388:2016  
+ A1:2018



2242X

EN511:2006



X2X



EN ISO  
21420:2020



CAT II

# ACTIVE ICE GLOVES

**EXTREME THERMAL INSULATION  
AGAINST THE COLD**

**MASSIMO ISOLAMENTO CONTRO IL FREDDO  
AISLAMIENTO MÁXIMO CONTRA EL FRÍO**

Size	Individual polybag
8/M	1118
9/L	1119
10/XL	1120
11/XXL	1121

#### PACKAGING



x12



x10



120



# ACTIVE ICE



## I1110

13G - Fleeeced Acrylic - **2141X**  
 Orange latex smooth (1) + black sandy latex (2)  
 Lana Acrilica - lattice liscio arancione (1) + lattice sabbaiato nero (2)  
 Lana acrílica - látex liso naranja (1) + látex arenado negro (2)



Silicon free



Resistant to extreme temperature

### STANDARDS

EN388:2016 + A1:2018 EN511:2006



2141X



X1X



EN ISO 21420:2020



CAT II

Size	Individual polybag
8/M	I1108
9/L	I1109
10/XL	I1110
11/XXL	I1111

### PACKAGING



x12



x10



120



## I1130

13G - Fleeeced Acrylic terry - **2232X**  
 Black latex smooth (1) + black sandy latex (2)  
 Lana Acrilica - lattice liscio nero (1) + lattice sabbaiato nero (2)  
 Lana acrílica - látex liso negro (1) + látex arenado negro (2)



Silicon free



Resistant to extreme temperature

### STANDARDS

EN388:2016 + A1:2018 EN511:2006 EN407:2004



2232X



X2X



X2XXXX



EN ISO 21420:2020



CAT II

Size	Individual polybag
8/M	I1128
9/L	I1129
10/XL	I1130
11/XXL	I1131

### PACKAGING



x12



x10



120



## I3390

13G - Fleeeced Acrylic terry - **4231X**  
 Black sandy nitrile  
 Lana Acrilica - nitrile sabbaiato nero  
 Lana acrílica - nitrilo arenado negro



Latex free



Silicon free



Resistant to extreme temperature

### STANDARDS

EN388:2016 + A1:2018 EN511:2006



4231X



X2X



EN ISO 21420:2020



CAT II

Size	Individual polybag
8/M	I3388
9/L	I3389
10/XL	I3390
11/XXL	I3391

### PACKAGING



x12



x10



120





**GLOVES**

# **ACTIVE STRONG**

## **GLOVES**

***EXTREME RESISTENCE AND ROBUSTNESS***

***ESTREMA RESISTENZA E ROBUSTEZZA***  
***EXTREMA RESISTENCIA Y DURABILIDAD***

# ACTIVE STRONG



## S6580

Buffalo split leather / Cotton fabric on the back and the cuff - **4144X**

Pelle crosta di bufalo - retro e polsino in cotone

Piel serraje de búfalo - dorso y manguito en algodón



## S6180

Superior cow split leather / Cotton fabric on the back and the cuff - **4134X**

Pelle crosta bovina superior - retro e polsino in tela di cotone

Cuero de vaca partido superior - dorso y manguito en tela de algodón

### STANDARDS

EN388:2016  
+ A1:2018



4144X



EN ISO  
21420:2020



CAT II

Size	12 pairs per polybag
10/XL	S6580

### PACKAGING



### STANDARDS

EN388:2016  
+ A1:2018



4134X




EN ISO  
21420:2020



CAT II

Size	12 pairs per polybag
10/XL	S6180

### PACKAGING





# GLOVES



## S6190

Superior cow full grain leather - Cotton fabric on the back and the cuff  
**3143X**

Pelle bovino pieno fiore - retro e polsino in cotone  
Flor de bovino -dorso y manguito en tela de algodón

### STANDARDS

EN388:2016 + A1:2018



3143X



EN ISO 21420:2020



CAT II

Size	12 pairs per polybag
10/XL	S6190

### PACKAGING



x12



x5



60



## S6140

Superior cow split leather / Cotton fabric on the back and the cuff -  
**4334X**

Pelle crosta bovina superior - retro e polsino in tela di cotone  
Cuero de vaca partido superior -dorso y manguito en tela de algodón

### STANDARDS

EN388:2016 + A1:2018



4334X



EN ISO 21420:2020



CAT II

### S6140/S6140CH

Size	12 pairs per polybag	Individual carton header
10/XL	S6140	S6140CH
11/XXL	S6141	-

### PACKAGING



x12



x5



60



## S6290

Full grain goat leather glove / cotton on back with velcro  
**3122X**

Pelle di capra pieno fiore - tessuto sulla parte posteriore con chiusura in velcro  
Cuero de cabra de grano completo - tejido en la parte trasera con cierre de velcro

### STANDARDS

EN388:2016 + A1:2018



3122X



EN ISO 21420:2020



CAT II

Size	12 pairs per polybag
8/M	S6288
9/L	S6289
10/XL	S6290
11/XXL	S6291

### PACKAGING



x12



x10



120





## S6560

Full Split Cow leather - **4224X**  
 Pelle crosta bovina  
 Cuero de vaca

### STANDARDS

EN388:2016  
 + A1:2018



4224X



EN ISO  
 21420:2020



CAT II

Size	12 pairs per polybag
8/M	S6558
9/L	S6559
10/XL	S6560
11/XXL	S6561

### PACKAGING



x12



x10



120



## S6530

Full grain buffalo leather on palm /  
 Split buffalo leather on back - **3122X**  
 Pelle bovina pieno fiore palmo - pelle  
 bovina crosta dorso  
 Palma de flor de búfalo, dorso de serraje  
 de búfalo

### STANDARDS

EN388:2016  
 + A1:2018



3122X



EN ISO  
 21420:2020



CAT II

### S6530/S6530CH

Size	12 pairs per polybag	Individual carton header
8/M	S6528	-
9/L	S6529	S6529CH
10/XL	S6530	S6530CH
11/XXL	S6531	S6531CH
12/XXXL	S6532	-

### PACKAGING



x12



x10



120





# GLOVES



## S6130

Full grain cow leather on palm /  
Split cow leather on back - **2142X**  
Pelle bovina pieno fiore palmo - pelle  
bovina crosta dorso  
Palma de flor de búfalo, dorso de  
serraje de búfalo



Premium  
Quality

### STANDARDS

EN388:2016  
+ A1:2018



2142X



EN ISO  
21420:2020



CAT II

Size	12 pairs per polybag
8/M	S6128
9/L	S6129
10/XL	S6130
11/XXL	S6131

### PACKAGING



x12



x10



120



## S6510

Full grain buffalo leather - **2142X**  
Pelle di bufalo pieno fiore  
Piel de flor de búfalo

### STANDARDS

EN388:2016  
+ A1:2018



2142X



EN ISO  
21420:2020



CAT II

### S6510/S6510CH

Size	12 pairs per polybag	Individual carton header
8/M	S6508	-
9/L	S6509	S6509CH
10/XL	S6510	S6510CH
11/XXL	S6511	S6511CH
12/XXXL	S6512	-

### PACKAGING



x12



x10



120



## S6110

Full grain cow leather - **2142X**  
Pelle bovina pieno fiore  
Piel de flor de vacuno



Premium  
Quality

### STANDARDS

EN388:2016  
+ A1:2018



2142X



EN ISO  
21420:2020



CAT II

### S6110/S6110CH

Size	12 pairs per polybag	Individual carton header
8/M	S6108	-
9/L	S6109	S6109CH
10/XL	S6110	S6110CH
11/XXL	S6111	S6111CH

### PACKAGING



x12



x10



120

# ACTIVE STRONG



## S6120

Full grain goat leather - **2121X**  
 Pelle bovina pieno fiore  
 Piel de flor de vacuno



Premium Quality

### STANDARDS

EN388:2016  
 + A1:2018



EN ISO  
 21420:2020



CAT II

Size	12 pairs per polybag
7/S	S6117
8/M	S6118
9/L	S6119
10/XL	S6120
11/XXL	S6121

### PACKAGING



## S6520

Full grain cow leather - **3143X**  
 Pelle bovina pieno fiore  
 Piel de flor de vacuno



Premium Quality

### STANDARDS

EN388:2016  
 + A1:2018



EN ISO  
 21420:2020



CAT II

Size	12 pairs per polybag
8/M	S6518
9/L	S6519
10/XL	S6520
11/XXL	S6521

### PACKAGING



## S6220

Full grain cow leather - water and oil  
 resistant- **3122X**  
 Pelle bovina pieno fiore resistente all'acqua  
 e all'olio  
 Piel de flor de vacuno resistente al agua y al  
 aceite



Premium Quality

### STANDARDS

EN388:2016  
 + A1:2018




EN ISO  
 21420:2020



CAT II

Size	12 pairs per polybag
8/M	S6218
9/L	S6219
10/XL	S6220
11/XXL	S6221

### PACKAGING







GLOVES



## W6150

Superior cow split leather - **4133X**

Crosta bovina superior - Tipo A & B

Cuero de vaca superior - Tipo A y B

# ACTIVE WELDING GLOVES

**MAXIMUM STRENGTH AND SAFETY**

**MASSIMA FORZA E SICUREZZA  
MÁXIMA FUERZA Y SEGURIDAD**

### STANDARDS

EN388:2016  
+ A1:2018



4133X

EN407:2004



413X4X

EN12477 2001 +  
A1 2005 : Type A & B

EN ISO 21420 : 2020



CAT II

Size	12 pairs per polybag
10/XL	W6150

### PACKAGING



x12



x5



60

# ACTIVE WELDING



## W6570

Buffalo split leather with cotton lining and normal stitching - **4141X**  
 Crosta bovina superior con fodera in cotone, **senza** cuciture in Kevlar - Tipo A & B  
 Cuero de vaca superior con forro de algodón, sin costuras de Kevlar

### STANDARDS

EN388:2016 + A1:2018    EN407:2004    EN12477 2001 + A1 2005 : Type A & B  
 4141X    423X4X    EN ISO 21420 : 2020

CE    i  
 CAT II

Size	12 pairs per polybag
10/XL	W6570

### PACKAGING



## W6170

Superior cow split leather with cotton lining and Kevlar stitching - **4144X**  
 Crosta bovina superior con fodera in cotone e cuciture in Kevlar - Tipo A & B  
 Cuero de vaca superior con forro de algodón y costuras de Kevlar- Tipo A y B

### STANDARDS

EN388:2016 + A1:2018    EN407:2004    EN12477 2001 + A1 2005 : Type A & B  
 4144X    413X4X    EN ISO 21420 : 2020

CE    i  
 CAT II

Size	12 pairs per polybag
10/XL	W6170

### PACKAGING



## W6270

Superior cow split leather with cotton lining and Kevlar stitching - **4144X**  
 Crosta bovina superior con palmo e indice rinforzato, fodera in cotone e cuciture in Kevlar - Tipo A & B  
 Cuero de vaca superior n con palma e índice reforzados, forro de algodón y costuras de Kevlar- Tipo A y B

### STANDARDS

EN388:2016 + A1:2018    EN407:2004    EN12477 2001 + A1 2005 : Type A & B  
 4144X    413X4X    EN ISO 21420 : 2020

CE    i  
 CAT II

Size	12 pairs per polybag
10/XL	W6170

### PACKAGING







**GLOVES**

# **ACTIVE CHEM & DEXT GLOVES**

***MAXIMUM DEXTERITY, COMFORT AND CHEMICAL  
PROTECTION IN RISKY ENVIRONMENTS***

***MASSIMA DESTREZZA, COMFORT, E PROTEZIONE CHIMICA NE-  
GLI AMBIENTI A RISCHIO***

***MÁXIMA DESTREZA, CONFORT Y PROTECCIÓN QUÍMICA EN EN-  
TORNOS PELIGROSOS***





## H2040

Yellow latex 40 gr - Flocked  
Lattice Giallo 40 gr - floccati  
Látex Amarillo 40 gr - flocado

Length/Lunghezza/Longitud: 330 mm  
Grip design/Superficie: fish scale  
Thickness/Spessore/ Espesor: 0,30 mm/12mil



Silicon free



Anti-static

### STANDARDS



EN ISO  
21420:2020



CAT I



Size	Individual polybag
7/S	H2037
8/M	H2038
9/L	H2039
10/XL	H2040

### PACKAGING



x12



x20



240



## H4010 H4020 PLUS

Green nitrile - Flocked - **4101X**  
**Tipo A/A<sup>2</sup>J<sup>6</sup>K<sup>6</sup>L<sup>3</sup>P<sup>0</sup>T<sup>6</sup>**

Nitrile verde - floccati  
Nitrilo verde - flocado

Length/Lunghezza/Longitud: 330 mm  
Grip design/Superficie: diamond grip  
Thickness/Spessore/ Espesor:

**H4010:** 0,38 mm/15mil

**H4020:** 0,45 MM/15mil



Latex free



Silicon free



Anti-static

### STANDARDS

EN388:2016



4101X

EN ISO  
374-5:2016



VIRUS

EN ISO  
374-1:2016



Type A/AJKLPOT



EN ISO  
21420:2020



CAT III



Size	Individual polybag - H4010	Individual polybag - H4020 plus
7/S	H4007	H4017
8/M	H4008	H4018
9/L	H4009	H4019
10/XL	H4010	H4020
11/XXL	H4011	H4021

### PACKAGING



x12



x10



120

## ACTIVE CHEM



## H7010

Cotton interlock - Fully dipped PVC - **4121X**  
Cotone interlock - PVC rosso  
Algodón interlock - PVC rojo



Latex free

### STANDARDS

EN388:2016



4121X



EN ISO  
21420:2020



CAT II

Size	12 pairs per polybag
9/L	H7009
10/XL	H7010

### PACKAGING



x12



x10



120



# GLOVES



## H7020

Cotton interlock - Fully dipped PVC  
27 cm - **4121X**

Cotone interlock - PVC  
Algodón interlock - PVC



Latex free



## H7030

Cotton interlock - Fully dipped PVC  
35 cm - **4121X**

Cotone interlock - PVC  
Algodón interlock - PVC



Latex free



## H7040

Cotton interlock - Fully dipped PVC  
40 cm - **4121X**

Cotone interlock - PVC  
Algodón interlock - PVC



Latex free

### STANDARDS

EN388:2016



4121X



EN ISO  
21420:2020



CAT II

Size	12 pairs per polybag
9/L	H7019
10/XL	H7020

### PACKAGING



x12



x10



120

### STANDARDS

EN388:2016



4121X



EN ISO  
21420:2020



CAT II

Size	12 pairs per polybag
9/L	H7029
10/XL	H7030

### PACKAGING



x12



x6



72

### STANDARDS

EN388:2016



4121X



EN ISO  
21420:2020



CAT II

Size	12 pairs per polybag
9/L	H7039
10/XL	H7040

### PACKAGING



x12



x6



72

# ACTIVE CHEM



## H7120

Cotton jersey - Double Dipped  
PVC - 27cm - **3121X - Type B/JKL**  
Cotone interlock - Doppio PVC  
Algodón interlock - Doble PVC



Latex free



## H7130

Cotton jersey - Double Dipped  
PVC - 35cm - **3121X - Type B/JKL**  
Cotone interlock - Doppio VC  
Algodón interlock - Doble PVC



Latex free



## H7140

Cotton jersey - Double Dipped  
PVC - 40cm - **3121X - Type B/JKL**  
Cotone interlock - Doppio PVC  
Algodón interlock - Doble PVC



Latex free

### STANDARDS



Size	12 pairs per polybag
9/L - 27 CM	H7119
10/XL - 27 CM	H7120

### PACKAGING



### STANDARDS



Size	12 pairs per polybag
9/L - 35 CM	H7129
10/XL - 35 CM	H7130

### PACKAGING



### STANDARDS



Size	12 pairs per polybag
9/L - 40 CM	H7139
10/XL - 40 CM	H7140

### PACKAGING







# GLOVES



## H7220

Cotton interlock - Fully dipped  
PVC - 27cm - **4121X - Type B/JKL**  
Cotone interlock - PVC  
Algodón interlock - PVC



Latex free

### STANDARDS

EN388:2016 4121X  
 EN ISO 374-5:2016  
 EN ISO 374-1:2016 Type B/JKL  
 CE EN ISO 21420:2020 CAT III

Size	12 pairs per polybag
9/L - 27 CM	H7219
10/XL - 40 CM	H7220

### PACKAGING



## H7230

Cotton interlock - Fully dipped  
PVC - 35cm - **4121X - Type B/JKL**  
Cotone interlock - PVC  
Algodón interlock - PVC



Latex free

### STANDARDS

EN388:2016 4121X  
 EN ISO 374-5:2016 VIRUS  
 EN ISO 374-1:2016 Type B/JKL  
 CE EN ISO 21420:2020 CAT III

Size	12 pairs per polybag
9/L - 27 CM	H7229
10/XL - 40 CM	H7230

### PACKAGING



# ACTIVE CHEM



## H7240

Cotton interlock - Fully dipped  
PVC - 40cm - **4121X - Type B/JKL**  
Cotone interlock - PVC  
Algodón interlock - PVC



Latex free

### STANDARDS

EN388:2016 4121X  
 EN ISO 374-5:2016  
 EN ISO 374-1:2016 Type B/JKL  
 CE EN ISO 21420:2020 CAT III

Size	12 pairs per polybag
9/L - 27 CM	H7239
10/XL - 40 CM	H7240

### PACKAGING



# ACTIVE DEXT



## D1610

Latex - Powder-Free - Palm Textured  
**6,5 g - Type B/K<sup>2</sup>M<sup>1</sup>P<sup>3</sup>T<sup>5</sup>S<sup>2</sup> - AQL 1,5**

Lattice bianco - senza polvere - palmo strutturato

Látex blanco - sin polvo - palma texturizada

Lenght/lunghezza/Longitud	240 mm
Finger thickness/spessore del dito/grosor del dito	0,12 mm (+/- 0,02mm)
Palm Thickness/spessore del palmo/ Grosor de la palma	0,8 mm (+/- 0,02 mm)



Touch screen

### STANDARDS

EN ISO 374-1:2016



Type B/K/M/T/P/S

EN ISO 374-5:2016



VIRUS



Size	100 gloves per box
7/S	D1607
8/M	D1608
9/L	D1609
10/XL	D1610

### PACKAGING



## D1620

Latex - Powdered - Smooth textured  
**6 g - Type B/K<sup>2</sup>M<sup>1</sup>P<sup>3</sup>T<sup>5</sup>S<sup>2</sup> - AQL 1,5**

Lattice bianco - con polvere - palmo strutturato liscio

Látex blanco - con polvo - palma texturizada lisa

Lenght/lunghezza/Longitud	240 mm
Finger thickness/spessore del dito/grosor del dito	0,12 mm (+/- 0,02mm)
Palm Thickness/spessore del palmo/ Grosor de la palma	0,8 mm (+/- 0,02 mm)



Touch screen

### STANDARDS

EN ISO 374-1:2016



Type B/K/M/T/P/S

EN ISO 374-5:2016



VIRUS



Size	100 gloves per box
7/S	D1617
8/M	D1618
9/L	D1619
10/XL	D1620

### PACKAGING



# ACTIVE DEXT



# GLOVES



## D1650

Latex blue - Powder Free  
**18,5 g - Type A/K<sup>3</sup>M<sup>3</sup>P<sup>2</sup>T<sup>5</sup>L<sup>2</sup> - AQL 1,5**  
 Lattice blu senza polvere  
 Látex azul sin polvo


Lenght/lunghezza/Longitud	300 mm
Finger thickness/spessore del dito/grosor del dito	0,33 mm (+/- 0,02mm)
Palm Thickness/spessore del palmo/ Grosor de la palma	0,33 mm (+/- 0,02 mm)

### STANDARDS

EN ISO 374-1:2016  
 EN ISO 374-5:2016  
 Type B/KMPTSL  
 VIRUS  
 CE EN ISO 21420:2020 AQL1.5  
 CAT III

Size	50 gloves per box
8/M	D1648
9/L	D1649
10/XL	D1650
11/XXL	D1651

### PACKAGING



## D3750

Blue nitrile - Powder free  
**3 g - Type B/K<sup>6</sup>P<sup>4</sup>T<sup>6</sup> - AQL 1,5**  
 Nitrile blu senza polvere  
 Nitrilo azul sin polvo

Lenght/lunghezza/Longitud	240 mm
Finger thickness/spessore del dito/grosor del dito	0,07 mm (+/- 0,02mm)
Palm Thickness/spessore del palmo/ Grosor de la palma	0,05 mm (+/- 0,02 mm)

### STANDARDS

EN ISO 374-1:2016  
 EN ISO 374-5:2016  
 Type B/KPT  
 VIRUS  
 CE EN ISO 21420:2020 AQL1.5  
 CAT III

Size	100 gloves per box
7/S	D3747
8/M	D3748
9/L	D3749
10/XL	D3750

### PACKAGING



## D3610

Blue nitrile - Powder free  
**4 g - Type B/K<sup>6</sup>P<sup>4</sup>T<sup>6</sup> - AQL 1,5**  
 Nitrile blu senza polvere  
 Nitrilo azul sin polvo

Lenght/lunghezza/Longitud	240 mm
Finger thickness/spessore del dito/grosor del dito	0,10 mm (+/- 0,02mm)
Palm Thickness/spessore del palmo/ Grosor de la palma	0,07 mm (+/- 0,02 mm)

### STANDARDS

EN ISO 374-1:2016  
 EN ISO 374-5:2016  
 Type B/KMTPS  
 VIRUS  
 CE EN ISO 21420:2020 AQL1.5  
 CAT III

Size	100 gloves per box
7/S	D3607
8/M	D3608
9/L	D3609
10/XL	D3610

### PACKAGING







## D3620

Black nitrile - Powder free  
**4 g - Type B/K<sup>6</sup>P<sup>4</sup>T<sup>6</sup> - AQL 1,5**

Nitrile nero senza polvere  
 Nitrilo negro sin polvo

Lenght/lunghezza/Longitud 240 mm

Finger thickness/spessore 0,10 mm  
 del dito/grosor del dito (+/- 0,02mm).

Palm Thickness/spessore del 0,07 mm  
 palmo/ Grosor de la palma (+/- 0,02 mm).



Latex free



Touch screen

### STANDARDS

EN ISO  
374-1:2016



Type B/BPT

EN ISO  
374-5:2016



VIRUS



EN ISO  
21420:2020  
AQL1.5



CAT III



Size	100 gloves per box
7/5	D3617
8/M	D3618
9/L	D3619
10/XL	D3620

### PACKAGING



x100



x10



1000



## D3630

Black nitrile long Cuff - Powder free  
**7,7 g - Type B/K<sup>6</sup>M<sup>1</sup>P<sup>6</sup>T<sup>5</sup>S<sup>2</sup> - AQL 1,5**

Nitrile nero polsino lungo senza polvere  
 Nitrilo negro manguito largo sin polvo

Lenght/lunghezza/Longitud 240 mm

Finger thickness/spessore 0,10 mm  
 del dito/grosor del dito (+/- 0,02mm)

Palm Thickness/spessore del 0,07 mm  
 palmo/ Grosor de la palma (+/- 0,02 mm)



Latex free



Touch screen

### STANDARDS

EN ISO  
374-1:2016



Type B/KMTPS

EN ISO  
374-5:2016



VIRUS



EN ISO  
21420:2020  
AQL1.5



CAT III



Size	100 gloves per box
7/5	D3627
8/M	D3628
9/L	D3629
10/XL	D3630

### PACKAGING



x100



x10



1000



## D9240

Clear vinyl - Powder free  
**4,3 g - Type B/K<sup>6</sup>P<sup>4</sup>T<sup>6</sup> - AQL 1,5**

Vinile trasparente senza polvere  
 Vinilo transparente sin polvo

Lenght/lunghezza/Longitud 240 mm

Finger thickness/spessore 0,10 mm  
 del dito/grosor del dito (+/- 0,02mm)

Palm Thickness/spessore del 0,09 mm  
 palmo/ Grosor de la palma (+/- 0,02 mm)



Latex free

### STANDARDS

EN ISO  
374-1:2016



Type B/KPT

EN ISO  
374-5:2016



VIRUS



EN ISO  
21420:2020  
AQL1.5



CAT III



Size	100 gloves per box
7/5	D9237
8/M	D9238
9/L	D9239
10/XL	D9240

### PACKAGING



x100



x10



1000



## GLOVES



## D3660

Black nitrile - Powder free  
**7 g - Type B/K<sup>6</sup>M<sup>0</sup>P<sup>6</sup>T<sup>3</sup>S<sup>1</sup>J<sup>3</sup> - AQL 1,5**  
 Nitrile nero senza polvere  
 Nitrilo negro sin polvo

Lenght/lunghezza/Longitud 240 mm  
 Finger thickness/spessore 0,15 mm  
 del dito/grosor del dito (+/- 0,02mm)  
 Palm Thickness/spessore del 0,13 mm  
 palmo/ Grosor de la palma (+/- 0,02 mm)



Latex free



Touch screen

### STANDARDS

EN ISO 374-1:2016



Type B/KMTPSJ

EN ISO 374-5:2016



VIRUS



EN ISO 21420:2020  
AQL1.5



CAT III



Size	100 gloves per box
8/M	D3658
9/L	D3659
10/XL	D3660
11/XXL	D3661

### PACKAGING



x100



x10



1000



## D3680

Orange nitrile - Powder free -  
Diamond Grip

**8,5 g - Type B/K<sup>5</sup>P<sup>2</sup>T<sup>5</sup> - AQL 1,5**

Nitrile arancione senza polvere  
Nitrilo naranja sin polvo

Lenght/lunghezza/Longitud	240 mm
Finger thickness/spessore del dito/grosor del dito	0,25 mm (+/- 0,02mm)
Palm Thickness/spessore del palmo/ Grosor de la palma	0,23 mm (+/- 0,02 mm)



Latex free



Touch screen

### STANDARDS



Type B/KPT



VIRUS



EN ISO  
21420:2020  
AQL1.5



CAT III



Size	50 gloves per box
8/M	D3678
9/L	D3679
10/XL	D3680
11/XXL	D3681

### PACKAGING



x50



x10



500



## D3690

Black nitrile - Powder free -  
Diamond Grip

**8,5 g - Type B/K<sup>5</sup>P<sup>2</sup>T<sup>5</sup> - AQL 1,5**

Nitrile nero senza polvere  
Nitrilo negro sin polvo

Lenght/lunghezza/Longitud	240 mm
Finger thickness/spessore del dito/grosor del dito	0,25 mm (+/- 0,02mm)
Palm Thickness/spessore del palmo/ Grosor de la palma	0,23 mm (+/- 0,02 mm)



Latex free



Touch screen

### STANDARDS



Type B/KPT



VIRUS



EN ISO  
21420:2020  
AQL1.5



CAT III



Size	50 gloves per box
8/M	D3688
9/L	D3689
10/XL	D3690
11/XXL	D3691

### PACKAGING



x50



x10



500





**PROTECTIVE COVERALLS**



# ACTIVE COVER

PROTECTIVE COVERALLS

**THE RIGHT PROTECTION FOR EVERY CHALLENGE**







**LA GIUSTA PROTEZIONE PER OGNI SFIDA**

**LA PROTECCIÓN ADECUADA PARA CADA DESAFÍO**

# EUROPEAN STANDARDS

## PROJECTIVE COVERALLS



SYMBOL	TYPE	DESCRIPTION
	<b>TYPE 1</b>	<b>Chemical protective clothing and gas tightness</b> Protective clothing against liquid and gaseous chemicals, aerosols and sodium particles
	<b>TYPE 2</b>	<b>Non-gas-tight chemical protective clothing</b> Suits that retain positive pressure to prevent the entry of dust, liquids and vapors
	<b>TYPE 3</b>	<b>Liquid tight suits</b> Suits that protect against strong, directional jets of liquid chemicals
	<b>TYPE 4</b>	<b>Splash-tight suits</b> Suits that offer protection against liquid chemical saturation
	<b>TYPE 5</b>	<b>Dry particulate protection</b> Suits that offer full body protection against airborne solid particulate matter
	<b>TYPE 6</b>	<b>Suits for reduced splashes</b> Suits that offer limited protection against liquid chemicals: protect against light splashes

## UNI EN ISO 13688 PROTECTIVE CLOTHING

### General requirements

The standard specifies the general performance requirements for ergonomics, harmlessness, designation of sizes, aging, compatibility and marking of protective clothing and the information that must be provided by the manufacturer with the protective clothing.



## UNI EN 13034 PROTECTIVE CLOTHING AGAINST LIQUID CHEMICALS

### Performance requirements for chemical protective clothing offering limited protection against liquid chemicals

The standard specifies the minimum requirements for limited use and reusable chemical protective clothing offering limited protection. Chemical protective clothing offering limited protection is intended for use in cases of potential exposure to light spray, liquid or low pressure aerosols, small splashes, against which a complete barrier against liquid permeation is not required (level molecular).



## PROTECTIVE COVERALLS



### UNI EN 1073-2 PROTECTIVE CLOTHING AGAINST RADIOACTIVE CONTAMINATION

#### Requirements and test methods for unventilated protective clothing against radioactive contamination in the form of particles

The standard specifies the requirements and test methods for non-ventilated protective clothing that protect the user from radioactive contamination in the form of particles.



### UNI EN 11149-5 PROTECTIVE CLOTHING - ELECTROSTATIC PROPERTIES

#### Performance requirements

The standard specifies the material and design requirements for protective clothing that dissipates electrostatic charges, used as part of a total grounding system to prevent discharges that can start fires. The requirements may be insufficient in flammable oxygen enriched atmospheres. The standard is not applicable for protection against mains voltage.



### UNI EN 14126 PROTECTIVE CLOTHING

#### Performance requirements and test methods for protective clothing against infectious agents

The standard specifies the requirements and test methods for reusable and limited use protective clothing that provide protection against infectious agents.



### UNI EN 14605 PROTECTIVE CLOTHING AGAINST LIQUID CHEMICALS

#### Performance requirements for clothing with liquid-tight (type 3) or splash-tight (type 4) connections, including items that only protect parts of the body (types PB [3] and PB [4])



This standard is the official version of the European standard EN 14605: 2005 + A1 (May 2009 edition). The standard specifies the minimum requirements for the following types of protective clothing against chemicals of limited use and reusable: - protective clothing for the whole body with liquid-tight connections between the different parts of the garment (type 3: liquid-tight) and, if applicable, with liquid-tight connections with component parts such as hoods, gloves, boots, visors or respiratory protective devices that may be specified in other European standards; - full body protective clothing with splash tight connections between different parts of the garment (type 4: splash tight garment) and, if applicable, with splash tight connections to component parts such as hoods, gloves, boots, visors or respiratory protective devices, which may be specified in other European standards; garments with partial body protection, which offer protection to specific parts of the body against the permeation of liquid chemicals.



### UNI EN ISO 13982-1 PROTECTIVE CLOTHING FOR USE AGAINST SOLID PARTICLES

#### Part 1: performance requirements for protective clothing against chemicals that offer protection to the whole body against solid particles dispersed in the air (type 5 clothing)

The standard specifies the minimum requirements for protective clothing against chemical products resistant to the penetration of solid particles dispersed in the air (type 5). These items of clothing are protective clothing for the whole body, for example trunk, arms, legs, such as one-piece or two-piece suits, with or without hood or visual screens, with or without foot protection.



# ACTIVE COVER



## X410

PP Lab Coat

Camice da laboratorio in polipropilene traspirante

Batas de laboratorio de polipropileno transpirable



40 gram

### STANDARDS



EN ISO  
13688:2013



CAT I

Size	White/Bianco/Blanco
L	X409
XL	X410
XXL	X411

### PACKAGING



## X440

PP Coverall

Tuta di protezione in polipropilene traspirante

Traje de protección de polipropileno transpirable



40 gram

### STANDARDS



EN ISO  
13688:2013



CAT I

Size	White/Bianco/Blanco
M	X438
L	X439
XL	X440
XXL	X441
XXXL	X442

### PACKAGING






## PROTECTIVE COVERALLS




### SEAMS CUCITURE COSTURAS



Surged seams

### MATERIALS/MATERIALI/MATERIALES



# X530/X530B/ X530T

SMS Chemical & Breathable Coverall

**Type 5 - Type 6**

SMS Tuta chimica traspirante

SMS Traje de trabajo químico y transpirable



Anti-static



Silicon free



55 gram

### DESCRIPTION

**Materials/Materiale/ Materiales:** SMS

**Seams/Cuciture/Costuras:** surged/trapuntante/cosidas\*

**Zipper/Cerniera/Cremallera:** with adhesive flap/con patta adesiva/ con solapa adhesiva

**Hood/Cappuccio/ Capucha:** elastic, 3 pcs/elastico, 3 pz/ elástico, 3 pza

**Cuff/Polsini/ Puños:** elasticated cuffs with elastic thumb loops/elasticizzati con passanti per pollici elastici/ elásticos, trabillas elásticas para los pulgares.

**Ankel and Waist/Caviglie e Vita/ Tobilleros y Cintura:** elasticated/elasticizzate/ elásticos

\* Only for model X530T seams are heat-sealed/ Solo per modello X530T le cuciture sono termosaldate/ Solo para el modelo X530T, las costuras están termoselladas

### STANDARDS

EN ISO  
13982-1:2004  
+ A1:2010



Type 5

EN  
13034:2005  
+ A1:2009



Type 6

EN  
1073-2:2002



Class 1

EN  
1149-5:2008



EN ISO  
13688:2013



CAT III

Size	White/Bianco/Blanco	White & Red/Bianco e rosso/Blanco y rojo	Blue/Blu/Azul
M	X528	X528T	X528B
L	X529	X529T	X529B
XL	X530	X530T	X530B
XXL	X531	X531T	X531B
3XL	X532	X532T	X532B
4XL	X533	-	-

### PACKAGING



x5



x10



50

# ACTIVE COVER

## X550

Microporous Chemical & Breathable Coverall

**Type 5B - Type 6B**

Tuta chimica in tessuto Microporous laminato extra traspirante  
Traje de trabajo químico de tejido Microporous laminado extra transpirable



Anti-static



Silicon free



55 gram

### DESCRIPTION

**Materials/Maretile/ Materiales:** Microporous

**Seams/Cuciture/Costuras:** surged/trapuntante/cosidas

**Zipper/Cerniera/Cremallera:** with adhesive flap/con patta adesiva/ con solapa adhesiva


**Hood/Cappuccio/ Capucha:** elasticated, 3 pcs/elastico, 3 pz/ elástico, 3 pza

**Cuff/Polsini/ Puños:** elasticated cuffs with elastic thumb loops/elasticizzati con passanti per pollici elastici/ elásticos, trabillas elásticas para los pulgares.

**Ankel and Waist/Caviglie e Vita/ Tobilleros y Cintura:** elasticated/elasticizzate/ elásticos



### SEAMS CUCITURE COSTURAS



Surged seams

### MATERIALS/MATERIALI/MATERIALES



### STANDARDS

EN ISO  
13982-1:2004  
+ A1:2010



Type 5 - B

EN  
13034:2005  
+ A1:2009



Type 6 - B

EN  
1073-2:2002



Class 2

EN  
1149-5:2008



EN  
14126:2003  
+ AC:2004



EN ISO  
13688:2013



CAT III

Size	White/Bianco/Blanco
S	X547
M	X548
L	X549
XL	X550
XXL	X551
3XL	X552
4XL	X553

### PACKAGING



x5



x10



50






## PROTECTIVE COVERALLS



### SEAMS CUCITURE COSTURAS



Surged seams

### MATERIALS/MATERIALI/MATERIALES



## X540

### Microporous + SMS (back) Chemical & Breathable Coverall Type 5B - Type 6B

Tuta chimica in tessuto Microporous laminato extra traspirante con dorso in SMS per una maggiore traspirabilità  
Traje de trabajo químico de tejido Microporous laminado extra transpirable con respaldo de SMS para una mayor transpirabilidad



Anti-static



Silicon free



55 gram  
Microporous



65 gram  
SMS

### DESCRIPTION

**Materials/Maretile/ Materiales:** Microporous + SMS

**Seams/Cuciture/Costuras:** surged/trapuntante/cosidas

**Zipper/Cerniera/Cremallera:** with adhesive flap/con patta adesiva/ con solapa adhesiva

**Hood/Cappuccio/ Capucha:** elasticated, 3 pcs/elastico, 3 pz/ elástico, 3 pza

**Cuff/Polsini/ Puños:** elasticated cuffs with elastic thumb loops/elasticizzati con passanti per pollici elastici/ elásticos, trabillas elásticas para los pulgares.

**Ankel and Waist/Caviglie e Vita/ Tobilleros y Cintura:** elasticated/elasticizzate/ elásticos

### STANDARDS

EN ISO  
13982-1:2004  
+ A1:2010



Type 5 - B

EN  
13034:2005  
+ A1:2009



Type 6 - B

EN  
1073-2:2002



Class 2

EN  
1149-5:2008



EN  
14126:2003  
+ AC:2004



EN ISO  
13688:2013



CAT III

Size	White/Bianco/Blanco
M	X538
L	X539
XL	X540
XXL	X541
3XL	X542

### PACKAGING



x5



x10



50

# ACTIVE COVER

## X570

Microporous Chemical & Breathable Coverall

**Type 5B - Type 6B**

Tuta chimica in tessuto Microporous laminato extra traspirante  
Traje de trabajo químico de tejido Microporous laminado extra transpirable



Anti-static



Silicon free



65 g/m<sup>2</sup>

### DESCRIPTION

**Materials/Mareiale/ Materiales:** Microporous

**Seams/Cuciture/Costuras:** surged/trapuntante/cosidas

**Zipper/Cerniera/Cremallera:** with adhesive flap/con patta adesiva/ con solapa adhesiva


**Hood/Cappuccio/ Capucha:** elasticated, 3 pcs/elastico, 3 pz/ elástico, 3 pza

**Cuff/Polsini/ Puños:** elasticated cuffs with elastic thumb loops/elasticizzati con passanti per pollici elastici/ elásticos, trabillas elásticas para los pulgares.

**Ankel and Waist/Caviglie e Vita/ Tobilleros y Cintura:** elasticated/elasticizzate/ elásticos



### SEAMS CUCITURE COSTURAS



Surged seams

### MATERIALS/MATERIALI/MATERIALES



### STANDARDS

EN ISO  
13982-1:2004  
+ A1:2010



Type 5 - B

EN  
13034:2005  
+ A1:2009



Type 6 - B

EN  
1073-2:2002



Class 2

EN  
1149-5:2008



EN  
14126:2003  
+ AC:2004



EN ISO  
13688:2013



CAT III

Size	White/Bianco/Blanco
M	X568
L	X569
XL	X570
XXL	X571
3XL	X572

### PACKAGING



x5



x10




50



## PROTECTIVE COVERALLS



### SEAMS CUCITURE COSTURAS



Heat sealed seams

### MATERIALS/MATERIALI/MATERIALES



# X580/X580G

Microporous Chemical & Breathable Coverall

**Type 4B - Type 5B - Type 6B**

Tuta chimica in tessuto Microporous laminato extra traspirante  
Traje de trabajo químico de tejido Microporous laminado extra transpirable



Anti-static



Silicon free



65 g/m<sup>2</sup>

### DESCRIPTION

**Materials/Materiale/ Materiales:** Microporous

**Seams/Cuciture/Costuras:** Heat Sealed/termosaldade/termoselladas

**Zipper/Cerniera/Cremallera:** with adhesive flap and extra neck cover/con patta adesiva e protezione per il collo/ con solapa adhesiva y protector de cuello

**Hood/Cappuccio/ Capucha:** elasticated, 3 pcs/elastico, 3 pz/ elástico, 3 pza

**Cuff/Polsini/ Puños:** elasticated cuffs with elastic thumb loops/elasticizzati con passanti per pollici elastici/ elásticos, trabillas elásticas para los pulgares.

**Ankel and Waist/Caviglie e Vita/ Tobilleros y Cintura:** elasticated/elasticizzate/ elásticos

**Crotch/Cavallo/Entrepiera:** reinforced/rinforzato/reforzado

### STANDARDS

EN  
14605:2005  
+ A1:2009



Type 4 - B

EN ISO  
13982-1:2004  
+ A1:2010



Type 5 - B

EN  
13034:2005  
+ A1:2009



Type 6 - B

EN  
1073-2:2002



Class 3

EN  
1149-5:2008



EN  
14126:2003  
+ AC:2004



EN ISO  
13688:2013



CAT III

Size	White/Bianco/Blanco	Green/Verde/Verde
M	X578	-
L	X579	X579G
XL	X580	X580G
XXL	X581	X581G
3XL	X582	X582G

### PACKAGING



x5



x10



50



# ACTIVE COVER

## X590

Chemical Coverall

**Type 3B - Type 4B - Type 5B - Type 6B**

Tuta chimica

Traje de trabajo químico



Anti-static



Silicon free



70 g/m<sup>2</sup>

### DESCRIPTION

**Materials/Maretile/ Materiales:** PP+PE

**Seams/Cuciture/Costuras:** Heat Sealed/termosaldate/termoselladas

**Zipper/Cerniera/Cremallera:** ring zipper with adhesive flap and extra neck cover/ad anello con patta adesiva e protezione per il collo/ de anillo con solapa adhesiva y protector de cuello

**Hood/Cappuccio/ Capucha:** elasticated, 3 pcs/elastico, 3 pz/ elástico, 3 pza

**Cuff/Polsini/ Puños:** elasticated cuffs with elastic thumb loops/elasticizzati con passanti per pollici elastici/ elásticos, trabillas elásticas para los pulgares.

**Waist/Vita/Cintura:** elasticated/elasticizzate/ elásticos

**Ankel/Caviglie/Tobilleros:** elasticated ankles with elastic loops/elasticizzate con passanti elastici/ elásticos con presillas elásticas

**Crotch/Cavallo/Entrepiera:** reinforced/rinforzato/reforzado

### STANDARDS

EN  
14605:2005  
+ A1:2009



Type 3 - B

EN  
14605:2005  
+ A1:2009



Type 4 - B

EN ISO  
13982-1:2004  
+ A1:2010



Type 5 - B

EN  
13034:2005  
+ A1:2009



Type 6 - B

EN  
1073-2:2002



Class 2

EN  
1149-5:2008




EN  
14126:2003  
+ AC:2004



CAT III


### SEAMS CUCITURE COSTURAS



Heat sealed seams

### MATERIALS/MATERIALI/MATERIALES

MeltBlown  
Polypropylene



Spunbonded  
Polypropylene

Spunbonded  
Polypropylene

Size	Yellow/Giallo/Amarillo
M	X588
L	X589
XL	X590
XXL	X591
3XL	X592

### PACKAGING



x5



x5



25



## PROTECTIVE COVERALLS



### X85/X86

PE Schort

Grmbiule in PE - 125x135 cm

Delantal de PE



22 microns

#### STANDARDS



2000pcs/carton

White/Biaco/Blaco X85

Blue/Blu/Azul X86

#### PACKAGING



x100

x10

1000



### X80/X81

Sleeve 40x20 cm

Coprimaniche

Maniguitos

#### STANDARDS



EN ISO  
13688:2013



20 microns

2000pcs/carton

White/Biaco/Blaco X80

Blue/Blu/Azul X81

#### PACKAGING



x100



x20



2000



### X77/X78

Beard protection

Copribarba

Cofia monouso

#### STANDARDS



EN ISO  
13688:2013



10 gram

2000pcs/carton

White/Biaco/Blaco X77

Blue/Blu/Azul X78

#### PACKAGING



x100



x20



2000

# ACTIVE COVER



## X70/X71

Clip clap

Cuffia monouso

Cofia monouso

4000pcs/carton

White/Biaco/Blaco	X70
Blue/Blu/Azul	X71

### STANDARDS



### PACKAGING



x100      x40      4000



## X94

PP Shoes Cover - 40 cm

Sovrascarpe in PP blu

Cubrezapatos en PP azul


### STANDARDS



2000pcs/carton

Blue/Blu/Azul	X94
---------------	-----

### PACKAGING



x100      x20      2000



## X90

PE Shoes Cover - 40 cm

Sovrascarpe in PP blu

Cubrezapatos en PE zul

### STANDARDS



2000pcs/carton

Blue/Blu/Azul	X90
---------------	-----

### PACKAGING



x100      x20      2000



## X96

CPE Coated Shoes Cover - 40 cm

Sovrascarpe antiscivolo ed impermeabile

Cubrezapatos antideslizante e impermeable


### STANDARDS



2000pcs/carton

Blue/Blu/Azul	X96
---------------	-----

### PACKAGING



x100      x10      1000





**PROTECTIVE EYEWEAR**



# **ACTIVE VISION**

**PROTECTIVE EYEWEAR**

**WATCH YOUR FUTURE**

**GUARDA AL TUO FUTURO  
MIRA TU FUTURO**

# EUROPEAN STANDARDS

## SAFETY EYEWEAR

At European level, the rules governing eye protection devices are established by the norm EN 166: 2001. Both the lens and the frame are marked on the work glasses, further guaranteeing the safety of the operators. Below is a useful guide to decipher the codes shown on all our Active Vision goggles and masks.

AA EN 166 FT CE



2C 1,2 AA 1FT KN CE

AA EN 166 3 9 BT CE



2C 1,2 AA 1BT 9N CE

### LENS MARKING

<b>K</b>	<b>Abrasion resistance:</b> resistant to deterioration by fine particles
<b>N</b>	<b>Anti-fog:</b> resistant to fogging
<b>1-2-3 Optical class:</b>	1 = continuous use; 3 = occasional use
<b>F</b>	Low energy impact resistance
<b>B</b>	Resistance to medium energy shocks
<b>T</b>	Shock resistance at extreme temperatures, ie between -5 ° C and + 55 ° C
<b>9</b>	Possibility of using the glasses in situations with molten metal and hot solids
<b>C</b>	Unaltered perception of colors
<b>2-1.2 / EN 170</b>	Transparent ocular filter that filters 99% of UV rays: for indoor works such as required by standard EN 170 (ultraviolet filters)
<b>5-3.1 / EN 172</b>	Colored ocular filter that filters 99% of UV rays: for outdoor work such as required by standard EN 172 (Solar protection filters for industrial use)

### FRAME MARKING

<b>EN 166: 2001</b>	Guarantee of minimum resistance of the protection to common risks related to personal protective equipment in terms of safety, comfort and robustness
<b>3</b>	Protection from liquids with drops and splashes
<b>4</b>	Protection from coarse dust particles: > 5 microns
<b>F</b>	Low energy impact resistance
<b>B</b>	Resistance to medium energy shocks
<b>T</b>	Shock resistance at extreme temperatures, ie between -5 ° C and + 55 ° C
<b>9</b>	Possibility of using the glasses in situations with molten metal and hot solids
<b>C</b>	Unaltered perception of colors



# PROTECTIVE EYEWEAR



## V100

**Materials/Materiali/Materiales:**  
High Resistant Lens/lenti ad alta resistenza/ lentes de alta resistencia (PC);  
Temples/stecche/Patillas (PC)



Anti-scratch



Impact resistant



0% Metal



36 gram

### STANDARDS

**Standard/Norma/Normas:** EN 166:2001  
**Frame marking/Marcatura stecche/ Marcado de las patillas:** EN 166 F CE  
**UV Standard/Norma UV:** EN 170:2001  
**Lens marking/Marcatura oculare/ Marcado de las lentes:** 2C-1.2 1F CE

#### Individual polybag

Clear/trasparente/claro V100

### PACKAGING



x12



x10



120



## V110/111/112

**Materials/Materiali/Materiales:**  
High Resistant Lens/lenti ad alta resistenza/lentes de alta resistencia (PC);  
Temples/stecche/Patillas (PC)



Anti-scratch



Resistant to extreme temperature



Impact resistant



22 gram

### STANDARDS

**Standard/Norma/Normas:** EN 166:2001  
**Frame marking/Marcatura stecche/ Marcado de las patillas:** EN 166 FT CE  
**UV Standard/Norma UV:**  
EN 170:2001 (clear/trasparente/claro)  
EN 172:2001 (smoke/fumo/gris)  
EN 170:2001 (yellow/giallo/amarillo)  
**Lens marking/Marcatura oculare/ Marcado de las lentes:**  
2C-1.2 1FT CE (clear/trasparente/claro)  
5-3.1 1FT CE (smoke/fumo/gris)  
2C-1.2 1FT CE (yellow/giallo/amarillo)

#### Individual polybag

Clear/trasparente/claro V110

Smoke/Fumo/Gris V111

Yellow/Giallo/Amarillo V112

### PACKAGING



x12



x10



120



## V115/116

**Materials/Materiali/Materiales:**  
High Resistant Lens/lenti ad alta resistenza/lentes de alta resistencia (PC);  
Temples/stecche/Patillas (PC)



Anti-fog



Anti-scratch



Resistant to extreme temperature



Impact resistant



22 gram

### STANDARDS

**Standard/Norma/Normas:** EN 166:2001  
**Frame marking/Marcatura stecche/ Marcado de las patillas:** EN 166 FT CE  
**UV Standard/Norma UV:**  
EN 170:2001 (clear/trasparente/claro)  
EN 172:2001 (smoke/fumo/gris)  
**Lens marking/Marcatura oculare/ Marcado de las lentes:**  
2C-1.2 1FT CE (clear/trasparente/claro)  
5-3.1 1FT CE (smoke/fumo/gris)

#### Individual polybag

Clear/trasparente/claro V115

Smoke/Fumo/Gris V116

### PACKAGING



x12



x10



120



## V120/121

### Materials/Materiali/Materiales:

High Resistant Lens/lenti ad alta resistenza/lentes de alta resistencia (PC);  
Resistant Frame and Temples/Stecche e montatura resistenti/ Montura e patillas resistentes (Nylon)



Anti-scratch



Impact resistant



31 gram

### STANDARDS

**Standard/Norma/Normas:** EN 166:2001

**Frame marking/Marcatura stecche/ Marcado de las patillas:** EN 166 F CE

**UV Standard/Norma UV:**

EN 170:2001 (clear/trasparente/claro)

EN 172:2001 (smoke/fumo/gris)

**Lens marking/Marcatura oculare/ Marcado de las lentes:**

2C-1.2 1F CE (clear/trasparente/claro)

5-3.1 1F CE (smoke/fumo/gris)

#### Individual polybag

Clear/trasparente/claro V120

Smoke/Fumo/Gris V121

### PACKAGING



x12



x10



120



## V130/131

### Materials/Materiali/Materiales:

High Resistant Lens/lenti ad alta resistenza/lentes de alta resistencia (PC);  
Comfortable Temples/stecche comode/ Patillas cómodas (PC/TPR)



Anti-scratch



Impact resistant



24 gram

### STANDARDS

**Standard/Norma/Normas:** EN 166:2001

**Frame marking/Marcatura stecche/ Marcado de las patillas:** EN 166 F CE

**UV Standard/Norma UV:**

EN 170:2001 (clear/trasparente/claro)

EN 172:2001 (smoke/fumo/gris)

**Lens marking/Marcatura oculare/ Marcado de las lentes:**

2C-1.2 1F CE (clear/trasparente/claro)

5-3.1 1F CE (smoke/fumo/gris)

#### Individual polybag

Clear/trasparente/claro V130

Smoke/Fumo/Gris V131

### PACKAGING



x12



x10



120







## PROTECTIVE EYEWEAR



### V140/141

**Materials/Materiali/Materiales:**

High Resistant Lens/lenti ad alta resistenza/ lentes de alta resistencia (PC);  
Adjustable temples/stecche regolabili/ patillas ajustables (Nylon);  
Anti-slip Nose Pad (Rubber)/Nasello antiscivolo (gomma)/ puente nasal antideslizante (goma)



Anti-scratch



Impact resistant



26 gram

#### STANDARDS

**Standard/Norma/Normas:** EN 166:2001

**Frame marking/Marcatura stecche/ Marcado de las patillas:** EN 166 F CE

**UV Standard/Norma UV:**

EN 170:2001 (clear/trasparente/claro)

EN 172:2001 (smoke/fumo/gris)

**Lens marking/Marcatura oculare/ Marcado de las lentes:**

2C-1.2 1F CE (clear/trasparente/claro)

5-3.1 1F CE (smoke/fumo/gris)

#### Individual polybag

Clear/trasparente/claro V140

Smoke/Fumo/Gris V141

#### PACKAGING



x12



x10



120



### V680

**Materials/Materiali/Materiales:**

High Resistant Lens/lenti ad alta resistenza/lentes de alta resistencia(PC+TPR);  
Angle adjustable bi-injected temples/ stecche bi-iniettate regolabili/ patillas bi-inyectadas ajustables (PC/TPR);  
Anti-slip Nose Pad/Nasello antiscivolo/ puente nasal antideslizante (TPR)



Anti-fog



Anti-scratch



Resistant to extreme temperature



Impact resistant



39 gram

#### STANDARDS

**Standard/Norma/Normas:** EN 166:2001

**Frame marking/Marcatura stecche/ Marcado de las patillas:** EN 166 FT CE

**UV Standard/Norma UV:** EN 170:2001

**Lens marking/Marcatura oculare/ Marcado de las lentes:** 2C-1.2 1FT CE

#### Individual polybag

Clear/trasparente/claro V680

#### PACKAGING



x12



x10



120



### V610/611

**Materials/Materiali/Materiales:**

High Resistant Lens/lenti ad alta resistenza/ lentes de alta resistencia (PC);  
Adjustable and bi-injected temples/ stecche bi-iniettate e regolabili/ patillas bi-inyectadas ajustables (PC/TPR);  
Anti-slip Nose Pad/Nasello antiscivolo/ puente nasal antideslizante (TPR)



Anti-fog



Anti-scratch



Resistant to extreme temperature



Impact resistant



28 gram

#### STANDARDS

**Standard/Norma/Normas:** EN 166:2001

**Frame marking/Marcatura stecche/ Marcado de las patillas:** EN 166 FT CE

**UV Standard/Norma UV:**

EN 170:2001 (clear/trasparente/claro)

EN 172:2001 (smoke/fumo/gris)

**Lens marking/Marcatura oculare/Marcado de las lentes:**

2C-1.2 1FT CE (clear/trasparente/claro)

5-3.1 1FT CE (smoke/fumo/gris)

#### Individual polybag

Clear/trasparente/claro V610

Smoke/Fumo/Gris V611

#### PACKAGING



x12



x10



120



## V620/621

**Materials/Materiali/Materiales:**  
 High Resistant Lens/lenti ad alta resistenza/lentes de alta resistencia (PC);  
 Bi-injected temples/stecche bi-iniettate/patillas bi-inyectadas (PC/ TPR);  
 Anti-slip Nose Pad/Nasello antiscivolo/puente nasal antideslizante (TPR)



Anti-fog



Anti-scratch



Resistant to extreme temperature



Impact resistant



24 gram

### STANDARDS

**Standard/Norma/Normas:** EN 166:2001  
**Frame marking/Marcatura stecche/ Marca-  
 do de las patillas:** EN 166 FT CE  
**UV Standard/Norma UV:**  
 EN 170:2001 (clear/trasparente/claro)  
 EN 172:2001 (smoke/fumo/gris)  
**Lens marking/Marcatura oculare/Marcado  
 de las lentes:**  
 2C-1.2 1FT CE (clear/trasparente/claro)  
 5-3.1 1FT CE (smoke/fumo/gris)

#### Individual polybag

Clear/trasparente/claro	V620
Smoke/Fumo/Gris	V621

### PACKAGING



x12



x10



120



## V630/631

**Materials/Materiali/Materiales:**  
 High Resistant Lens/lenti ad alta resistenza/lentes de alta resistencia (PC);  
 Bi-injected temples/stecche bi-iniettate/patillas bi-inyectadas (PC/ TPR);  
 Anti-slip Nose Pad/Nasello antiscivolo/puente nasal antideslizante (TPR)



Anti-fog



Anti-scratch



Resistant to extreme temperature



Impact resistant



39 gram



0% Metal

### STANDARDS

**Standard/Norma/Normas:** EN 166:2001  
**Frame marking/Marcatura stecche/ Marca-  
 do de las patillas:** EN 166 FT CE  
**UV Standard/Norma UV:**  
 EN 170:2001 (clear/trasparente/claro)  
 EN 172:2001 (smoke/fumo/gris)  
**Lens marking/Marcatura oculare/Marcado  
 de las lentes:**  
 2C-1.2 1FT KN CE (clear/trasparente/claro)  
 5-3.1 1FT KN CE (smoke/fumo/gris)

#### Individual polybag

Clear/trasparente/claro	V630
Smoke/Fumo/Gris	V631

### PACKAGING



x12



x10



120






## PROTECTIVE EYEWEAR



### V640/641

**Materials/Materiali/Materiales:**  
 High Resistant Lens/lenti ad alta resistenza/lentes de alta resistencia (PC); Bi-Injected Temples/stecche bi-iniettate/patillas bi-inyectadas (PC/TPR); Anti-Slip Nose Pad (Rubber)/Nasello antiscivolo (gomma)/puente nasal antideslizante (goma); Removable and Length Adjustable Headband/archetto rimovibile e regolabile in lunghezza/diadema extraíble y ajustable en longitud (Polyester); Removable Gasket/guarnizione rimovibile/junta extraíble (Hytrel/EVA Foam)



#### STANDARDS

**Standard/Norma/Normas:** EN 166:2001  
**Frame marking/Marcatura stecche/ Marcado de las patillas:** EN 166 FT CE  
**UV Standard/Norma UV:**  
 EN 170:2001 (clear/trasparente/claro)  
 EN 172:2001 (smoke/fumo/gris)  
**Lens marking/Marcatura oculare/Marcado de las lentes:**  
 2C-1.2 1FT CE (clear/trasparente/claro)  
 5-3.1 1FT CE (smoke/fumo/gris)

Individual polybag


Clear/trasparente/claro	V640
Smoke/Fumo/Gris	V641

#### PACKAGING



### V650

**Materials/Materiali/Materiales:**  
 High Resistant Lens/lenti ad alta resistenza/lentes de alta resistencia (PC); Bi-injected temples/stecche bi-iniettate/patillas bi-inyectadas (PC/TPR); Anti-slip Nose Pad/Nasello antiscivolo/ puente nasal antideslizante (TPR)



#### STANDARDS

**Standard/Norma/Normas:** EN 166:2001  
**Frame marking/Marcatura stecche/ Marcado de las patillas:** EN 166 FT CE  
**UV Standard/Norma UV:** EN 170:2001  
**Lens marking/Marcatura oculare/Marcado de las lentes:** 2C-1.2 1FT KN CE

Individual polybag


Clear/trasparente/claro	V650
-------------------------	------

#### PACKAGING



### V660

**Materials/Materiali/Materiales:**  
 High Resistant Lens/lenti ad alta resistenza/lentes de alta resistencia (PC); Bi-injected temples/stecche bi-iniettate/patillas bi-inyectadas (PC/TPR); Anti-slip Nose Pad/Nasello antiscivolo/ puente nasal antideslizante (TPR)



#### STANDARDS

**Standard/Norma/Normas:** EN 166:2001  
**Frame marking/Marcatura stecche/ Marcado de las patillas:** EN 166 FT CE  
**UV Standard/Norma UV:** EN 170:2001  
**Lens marking/Marcatura oculare/Marcado de las lentes:** 2C-1.2 1FT KN CE

Individual polybag

Clear/trasparente/claro	V660
-------------------------	------

#### PACKAGING



# ACTIVE VISION



## V670

**Materials/Materiali/Materiales:**  
High Resistant Lens/lenti ad alta resistenza/lentes de alta resistencia (PC);  
Comfortable Temples/stecche comode/ Patillas cómodas (PC/TPR)



Anti-scratch



Impact resistant



30 gram

### STANDARDS

**Standard/Norma/Normas:** EN 166:2001  
**Frame marking/Marcatura stecche/ Marcado de las patillas:** EN 166 FT CE  
**UV Standard/Norma UV:** EN 170:2001  
**Lens marking/Marcatura oculare/Marcado de las lentes:** 2C-1.2 1FT CE

Individual polybag

Clear/trasparente/claro V670

### PACKAGING



x12



x10



120



## V300

**Materials/Materiali/Materiales:**  
High Resistant Lens/lenti ad alta resistenza/lentes de alta resistencia (PC);  
Indirect Ventilation Frame/montatura con ventilazione indiretta/montura con ventilación indirecta (PVC)



0% Metal



Anti dust  
Anti splash



Impact resistant



70 gram

### STANDARDS

**Standard/Norma/Normas:** EN 166:2001  
**Frame marking/Marcatura stecche/ Marcado de las patillas:** EN 166 B CE  
**UV Standard/Norma UV:** EN 170:2001  
**Lens marking/Marcatura oculare/Marcado de las lentes:** 1B CE

Individual polybag

Clear/trasparente/claro V300

### PACKAGING



x12



x10



120



## V310

**Materials/Materiali/Materiales:**  
High Resistant Lens/lenti ad alta resistenza/lentes de alta resistencia (PC);  
Indirect Ventilation Frame/montatura con ventilazione indiretta/montura con ventilación indirecta (PVC,PC)



0% Metal



Anti dust  
Anti splash



Anti-fog



Anti-scratch



Resistant to  
extreme  
temperature



Impact resistant



95 gram

### STANDARDS

**Standard/Norma/Normas:** EN 166:2001  
**Frame marking/Marcatura stecche/ Marcado de las patillas:** EN 166 3 4 BT CE  
**UV Standard/Norma UV:** EN 170:2001  
**Lens marking/Marcatura oculare/Marcado de las lentes:** 2C-1.2 1BT CE

Individual polybag

Clear/trasparente/claro V310

### PACKAGING



x5



x20



100





## PROTECTIVE EYEWEAR



### V320

#### Materials/Materiali/Materiales:

High Resistant Lens/lenti ad alta resistenza/lentes de alta resistencia (PC);

Indirect Ventilation Frame/montatura con ventilazione indiretta/montura con ventilación indirecta (PVC,PC)



0% Metal



Anti dust  
Anti splash



Anti-fog



Anti-scratch



Resistant to  
extreme  
temperature



Impact  
resistant



95 gram

#### STANDARDS

Standard/Norma/Normas: EN 166:2001

Frame marking/Marcatura stecche/ Marcado de las patillas: EN 166 3 4 BT CE

UV Standard/Norma UV: EN 170:2001

Lens marking/Marcatura oculare/Marcado de las lentes: 2C-1.2 1BT CE

#### Individual polybag

Clear/trasparente/claro V320

#### PACKAGING



x5



x20



100



### V330

#### Materials/Materiali/Materiales:

High Resistant Lens/lenti ad alta resistenza/lentes de alta resistencia (PC);

Indirect Ventilation Frame/montatura con ventilazione indiretta/montura con ventilación indirecta (HTPR, PC)



0% Metal



Anti dust  
Anti splash



Anti-fog



Anti-scratch



Resistant to  
extreme  
temperature



Impact  
resistant



77 gram

#### STANDARDS

Standard/Norma/Normas: EN 166:2001

Frame marking/Marcatura stecche/ Marcado de las patillas: EN 166 3 4 BT CE

UV Standard/Norma UV: EN 170:2001

Lens marking/Marcatura oculare/Marcado de las lentes: 2C-1.2 1BT KN CE

#### Individual polybag

Clear/trasparente/claro V330

#### PACKAGING



x5



x12



60



### V900M/ V910M

#### Materials/Materiali/Materiales:

High resistant ABS/ABS ad alta resistenza agli urti/ ABS de alta resistencia a impactos



0% Metal



Anti dust  
Anti splash



Anti-scratch



Resistant to  
extreme  
temperature



Impact  
resistant



180 gram

#### STANDARDS

Standard/Norma/Normas: EN 166:2001

Frame marking/Marcatura stecche/ Marcado de las patillas: EN 166:2001 - 1 3 BT CE

Compatible with V920\* and V922\* visors  
Compatibile con i visori V920\* e V922\*  
Compatible con los visores V920\* y V922\*  
\* sold separately/venduti separatamente/ se venden por separado

#### Yellow/Giallo/Amarillo Black/Nero/Negro

V900M

V910M

#### PACKAGING



x1



x10

# ACTIVE VISION



## V920

**Materials/Materiali/Materiales:**  
High Resistant Polycarbonate/  
Policarbonato ad alta resistenza/  
Policarbonato de alta resistencia  
(PC)  
20cm x 40cm



0% Metal



Anti dust  
Anti splash



Anti-scratch



Resistant to  
extreme  
temperature



Impact  
resistant



110 gram

### STANDARDS

**Standard/Norma/Normas:** EN 166:2001  
**Lens marking/Marcatura oculare/Marcado  
de las lentes:** EN 166:2001 - 13 BT CE

Compatible with V920\* and V922\* visors  
Compatibile con i visori V920\* e V922\*  
Compatible con los visores V920\* y V922\*  
\* sold separately/venduti separatamente/ se  
venden por separado

25 units/box

V920

### PACKAGING



x25



x8



200



## V922

**Materials/Materiali/Materiales:**  
High Resistant Steel/rete di acciaio  
ad alta resistenza/ Malla de acero  
de alta resistencia  
20cm x 40cm



Impact  
resistant



110 gram

### STANDARDS

**Standard/Norma/Normas:** EN 1731: 2006  
**Lens marking/Marcatura oculare/Marcado  
de las lentes:** EN 1731: 2006 S CE

Compatible with V900\* and V910\* visors  
Compatibile con i visori V900\* e V912\*  
Compatible con los visores V900\* y V910\*

\* sold separately/venduti separatamente/se venden por separado

15 units/box

V922

### PACKAGING



x15



x8



120



## V930

**Materials/Materiali/Materiales:**  
High Resistant ABS/ ABS ad alta  
resistenza agli urti/ ABS de alta  
resistencia a impactos



Impact  
resistant



120 gram

### STANDARDS

**Standard/Norma/Normas:** EN 166:2001  
**Lens marking/Marcatura oculare/Marcado  
de las lentes:** EN 166:2001 - 13 BT CE

Compatible with most safety helmets  
Compatibile con la maggior parte dei caschi di  
sicurezza

Compatible con con la mayoría de los cascos de  
seguridad

Individual polybag

Clear

V340

### PACKAGING



x25



x4



100





**ACTIVE AIR**



# **ACTIVE AIR**

## **RESPIRATORY PROTECTION**

***BREATHE WELL, BREATHE IN SAFETY***

***RESPIRA BENE, RESPIRA IN SICUREZZA***  
***RESPIRA BIEN, RESPIRA EN SEGURIDAD***



# EUROPEAN STANDARDS

## MASKS

The EN 14683: 2019 standard indicates the characteristics that a surgical mask must comply with to be safe and, moreover, the classification based on the results of the tests it is subjected to. After undergoing 5 specific tests, surgical masks are divided into 3 types based on their bacterial filtration capacity (BFE) and their resistance to splashes:

- Type I
- Type II
- Type IIR



### Performance requirements for medical face masks

TEST	TYPE I*	TYPE II	TYPE IIR
Bacterial filtration efficiency (BFE), (%)	≥ 95	≥ 98	≥ 98
Pressure differential (Pa/cm <sup>2</sup> )	< 40	< 40	< 60
Splash Resistance Pressure (kPa)	Not required	Not required	≥ 16,0
Microbial cleaning (ufc/g)	≤ 30	≤ 30	≤ 30

\*Type I medical face masks should only be used for patients and other people to reduce the risk of spreading infections, particularly in epidemic or pandemic situations, Type I masks are not intended for use by of healthcare workers in the operating room or in other medical activities with similar requirements.

### THE EN 149: 2001 + A1: 2009

The EN 149: 2001 + A1: 2009 standard establishes the performance, testing and marking requirements for respiratory protective devices and filtering half masks against particles. This legislation divides devices into single use, recognizable because they are marked with the code "NR" (not reusable), and reusable, when they can be cleaned, sanitized and then reused, which are marked with the code "R". Each device is subjected to specific tests on the basis of which, such as the one relating to the clogging requirements with dolomite powder (optional for disposable devices and mandatory for reusable ones), on the basis of which, if positive, a good level is guaranteed breathability even with very high dust concentrations in the environment. In this case the devices must be marked "D".

The legislation also divides the masks into three FFP (Filtering Face Piece) classes based on their level of filtering effectiveness:

- **Class FFP1:** protect against non-toxic aerosols, such as dusts, in concentrations up to four times the threshold limit value (TLV). They have a filtering efficiency of 80%;
- **Class FFP2:** they protect against low and medium toxicity aerosols, in concentrations up to 10 times the TLV. They have a filtering efficiency of 94%;
- **Class FFP3:** they protect against aerosols up to high toxicity and radioactive aerosols in concentrations up to 30 times the TLV. They have a filtering efficiency of 99%.






# R35

3D Flat fold mask with valve and multiple layer of SMS Polypropylene  
Mascherina 3D con valvola e multiple layer di SMS Polipropilene  
Mascarilla 3D con válvula y múltiples capas de polipropileno SMS



FFP3 NR D

### STANDARDS



10pcs/box


R35

### PACKAGING




# R30

Shell Mask with valve and multiple layer of SMS Polypropylene  
Mascherina a conchiglia con valvola e multiple layer di SMS Polipropilene  
Mascarilla frontal con válvula y múltiples capas de polipropileno SMS



FFP3 NR D

### STANDARDS



10pcs/box


R30

### PACKAGING




# R32

Shell Mask with valve and multiple layer of SMS Polypropylene  
Mascherina a conchiglia con valvola e multiple layer di SMS Polipropilene  
Mascarilla frontal con válvula y múltiples capas de polipropileno SMS



FFP3 NR D

### STANDARDS



10pcs/box

R32

### PACKAGING




# ACTIVE AIR




## R31

Shell Mask with valve and multiple layer of SMS Polypropylene  
 Mascherina a conchiglia con valvola e multiple layer di SMS Polipropilene  
 Mascarilla frontal con válvula y múltiples capas de polipropileno SMS



**FFP3 NR D**

### STANDARDS



10pcs/box


R31

### PACKAGING




## R34

3D Flat fold mask with valve and multiple layer of SMS Polypropylene  
 Mascherina 3D con valvola e multiple layer di SMS Polipropilene  
 Mascarilla 3D con válvula y múltiples capas de polipropileno SMS



**FFP3 NR**


### STANDARDS



10pcs/box


R34

### PACKAGING




## R36

3D Flat fold mask with valve and multiple layer of SMS Polypropylene  
 Mascherina 3D con valvola e multiple layer di SMS Polipropilene  
 Mascarilla 3D con válvula y múltiples capas de polipropileno SMS



**FFP3 NR**

### STANDARDS



10pcs/box

R36


### PACKAGING






# R20

Shell Mask with valve and multiple layer of SMS Polypropylene  
Mascherina a conchiglia con valvola e multiple layer di SMS Polipropilene  
Mascarilla frontal con válvula y múltiples capas de polipropileno SMS



FFP2 NR D

### STANDARDS




10pcs/box  
R20

### PACKAGING




# R21C

Shell Mask with valve and multiple layer of SMS Polypropylene  
Mascherina a conchiglia con valvola e multiple layer di SMS Polipropilene  
Mascarilla frontal con válvula y múltiples capas de polipropileno SMS




FFP2 NR D

### STANDARDS




10pcs/box  
R21C

### PACKAGING




# R21

Shell Mask with valve and multiple layer of SMS Polypropylene  
Mascherina a conchiglia con valvola e multiple layer di SMS Polipropilene  
Mascarilla frontal con válvula y múltiples capas de polipropileno SMS



FFP2 NR D

### STANDARDS



10pcs/box  
R21

### PACKAGING




# ACTIVE AIR



## R26

3D Flat fold mask with valve and multiple layer of SMS Polypropylene  
 Mascherina 3D con valvola e multiple layer di SMS Polipropilene  
 Mascarilla 3D con válvula y múltiples capas de polipropileno SMS



**FFP2 NR**

### STANDARDS



10pcs/box


R26

### PACKAGING



## R25

3D Flat fold mask with valve and multiple layer of SMS Polypropylene  
 Mascherina 3D con valvola e multiple layer di SMS Polipropilene  
 Mascarilla 3D con válvula y múltiples capas de polipropileno SMS



**FFP3 NR**


### STANDARDS



10pcs/box


R25

### PACKAGING




## R-1000

TYPE IIR face mask  
 Mascherina chirurgica Tipo IIR  
 Mascarilla quirúrgica Tipo IIR



**TYPE IIR**

### STANDARDS



50pcs/box

R-1000

### PACKAGING







# M10

Half mask with double filter quick connection  
Semimaschera a doppio filtro con attacco a baionetta  
Semimáscara con doble filtro conexión rápida



Latex free



Preformed nose bridge



Valve



100 gram

### STANDARDS



EN 140:1998, CE0426



CAT III

Individual polybag

M10

### PACKAGING



x1



x16



16



# F10

Bajonetfilters - protection against dusts, fumes and mists  
Filtro con attacco rapido a baionetta  
Protezione da polveri, fumi e nebbie  
Filtro con conexión rápida de bayoneta  
Protección contra polvos, humos y nieblas



Latex free

P3

R

### STANDARDS



EN 143:2000 + A 1 :2006,  
EN 143:2007, CE0426



CAT III

50pcs/box

F10

### PACKAGING



x8



x16



128



# F20

Bajonetfilters  
Protection against organic gases and vapours with boiling point above 65°C, dusts, fumes and mists  
Filtro con attacco rapido a baionetta  
Protezione da vapori organici con punto di ebollizione superiore a 65° C e da polveri, fumi e nebbie  
Filtro con conexión rápida de bayoneta  
Protección contra gases y vapores orgánicos con punto de ebullición superior a 65°C, polvos, humos y nieblas



Latex free

A1P3

R

### STANDARDS



EN 143:2000 + A1 :2006,  
EN 14387:2004+A 1 :2008,  
CE0426



CAT III

6pcs/box

F20

### PACKAGING



x6



x16



96

# ACTIVE AIR



## F50

Bajonetfilters

Protection against organic gases and vapours with boiling point above 65°C, inorganic gases, acid gases, sulfur dioxide (SO<sub>2</sub>), ammonia (NH<sub>3</sub>) and its organic derivatives, dusts, fumes and mists

Filtro con attacco rapido a baionetta

Protezione da vapori organici con punto di ebollizione superiore a 65° C, gas inorganici, gas acidi, Anidride Solforosa (SO<sub>2</sub>) Ammoniaca (NH<sub>3</sub>) e suoi derivati organici e per polveri, fumi e nebbie

Filtro con conexión rápida de bayoneta

Protección contra gases y vapores orgánicos con punto de ebullición superior a 65°C, gases inorgánicos, gases ácidos, dióxido de azufre (SO<sub>2</sub>), amoníaco (NH<sub>3</sub>) y sus derivados orgánicos, así como contra polvos, humos y neblinas



Latex free

**ABEK1P3**

**R**

### STANDARDS



EN 143:2000 + A1 :2006,  
EN 143:2007,  
EN 14387:2004+A 1 :2008,  
CE0426



CAT III

6 pcs/box

F50

### PACKAGING



x6

x16

96



## M50

Emergency respirator designed exclusively for escape - 10 min.

Protection against organic gases and vapors boiling above 65 ° C, inorganic gases and vapors, acid and basic gases and vapors

Maschera d'emergenza con filtrante destinata alla fuga

Protezione da gas e vapori organici con punto di ebollizione superiore a 65 ° C, gas e vapori inorganici, gas e vapori acidi e basici

Máscara de emergencia con filtro diseñada para escape.

Protección contra gases y vapores orgánicos con punto de ebullición superior a 65 °C, gases y vapores inorgánicos, gases y vapores ácidos y básicos



Latex free



Nasal clip



150 gram

**ABEK**

**5864-7**

**DIN**

### STANDARDS



ABEK 10 min, CE0426  
DIN 58647-7



CAT III

1 pcs/box

M50

### PACKAGING



x1

x45

45





**ACTIVE EAR**

# **ACTIVE EAR**

## **EAR PROTECTION**

***THE THE SAFE SILENCE***

***IL SILENZIO SICURO  
EL SILENCIO SEGURO***

# EUROPEAN STANDARDS

## EAR PROTECTION

At the European level, the regulation that provides guidance for the selection, use, maintenance, and care of hearing protectors is **UNI EN 458:2016**. Hearing protectors are generally available in two main forms: earmuffs and earplugs. Both types are available in the Active EAR range.

The **DIN EN 352** standard establishes general requirements for hearing protection within the scope of occupational protective clothing and guides the user in selecting the appropriate hearing protector based on specific conditions and the type of noise encountered in the workplace. For this reason, Personal Protective Equipment (PPE) for hearing protection is regulated and differentiated into the following types:

- Earplugs
- Protective earmuffs
- Hearing protection helmets
- Noise protection suits

DIN EN STANDARDS	
EN 352/1	Earmuffs
EN 352/2	Earplugs
EN 352/3	Earmuffs attached to industrial safety helmets

SECURITY MEASURES	8 HOURS DAILY EXPOSURE	NOISE PEAK
<b>Lower level of action</b>	<b>80 dBA</b>	<b>135 dBC</b>
For workers exposed to noise, hearing protection devices must be available (voluntary use).		
Audiometric tests must be provided to workers whose noise exposure could pose health risks.		
Necessary training on noise-related risks, proper use of hearing protection equipment, potential hearing damage, preventive medical checks, and workplace rules to reduce noise exposure must be conducted.		
<b>Highest level of action</b>	<b>85 dBA</b>	<b>137 dBC</b>
For workers exposed to noise, hearing protection devices, the use of which is mandatory, must be made available.		
Audiometric testing must be provided for operators exposed to noise.		
Warning signs must be posted in noisy areas.		
<b>Exposure limit value</b>	<b>87 dBA</b>	<b>140 dBC</b>
Maximum noise level at the ear while wearing protective measures.		
Exposure to noise, with hearing protection worn, must not exceed this level.		
To estimate this value, it is necessary to take into account the attenuation provided by the noise-reducing devices.		

### SNR: SINGLE NUMBER RATING

To immediately select the best hearing protection instrument for exposure, it is advisable to check the SNR value of the ear protector. The **Single Number Rating (SNR)** indicates the average attenuation value, extremely intuitive and immediate, through which a preliminary assessment of the suitability of the ear protector for the worker's noise exposure can be made.

## THE SHAPES OF EARPLUGS



### FLATTENED ARROW

Easily conforms to the ear canal opening, providing maximum protection.



### T

Its particular shaping promotes easy insertion and long-lasting comfort.



### BELL-SHAPED

The bell-shaped design provides maximum noise attenuation.



### FLANGE

Maximum comfort and attenuation due to the even pressure distribution in the ear canal.



### OVAL

Greater comfort provided by the support at the entrance of the ear canal.



### BULLET

Its conical shape makes insertion into the ear canal easier.



### PILL

Two sizes in one meet multiple needs with a single product.



### CYLINDRICAL

Shaped insert that easily conforms to the shape of the ear canal.





## ACTIVE EAR




### E740

Premium Earmuff - ABS shell & PVC cushions - **SNR 34 dB**

Cuffie Premium - Guscio in ABS e cuscinetti in PVC

Orejera Premium - Carcasa de ABS y almohadillas de PVC



34 dB

250 gram

#### STANDARDS



EN 352-1:2020



CAT III

1 pcs/box

E740

#### PACKAGING



x1



x20



20




### E730

Foldable Earmuff - ABS shell & PVC cushions - **SNR 32 dB**

Cuffie pieghevoli - uscio in ABS e cuscinetti in PVC

Orejera plegable - - Carcasa de ABS y almohadillas de PVC



32 dB

250 gram

#### STANDARDS



EN 352-1:2020



CAT III

1 pcs/individual polybag

E730

#### PACKAGING



x1



x10



x60



60



### E795

PU Earplug with dispenser - 500 pairs - **SNR 38 dB**

Tappi auricolari in PU con erogatore- 500 paia

Tapón auditivo PU con dispensador - 500 pares



38 dB

#### STANDARDS



EN 352-2:2020



CAT III

1 pcs/box

E795

#### PACKAGING



x500 pairs



x4



2000 pairs



## E790

Banded Ear Plug - Slow recovery PU (non-allergenic) & Polypropylene band  
**SNR 29 dB**

Tappi antirumore con archetto - Schiuma: lenta ripresa (non allergenica) & archetto polipropilene

Protección auditiva con banda - Espuma de recuperación lenta (no alergénica) & de polipropileno

**SNR**

29 dB

### STANDARDS



EN 352-2:2020



CAT III

1 pcs/box

E790

### PACKAGING



x1 pair



x20



x20



400 pairs





## ACTIVE EAR



### E780

Slow recovery PU Foam (non-allergenic) earplug - 200 pairs - With dispenser box - **SNR 38 dB**  
 Tappi di schiuma di PU a lenta ripresa (anallergici) - 200 paia - Con box dispenser  
 Taponos de espuma de PU de recuperación lenta (no alérgica) - 200 pares - Con dispensador de caja

SNR

38 dB

#### STANDARDS



EN 352-1:2020




CAT III

Single Polybag/Dispenser

E780

#### PACKAGING



### E781

Slow recovery PU Foam (non-allergenic) earplug - 500 pairs - **SNR 38 dB**  
 Tappi di schiuma di PU a lenta ripresa (anallergici) - 500 paia  
 Taponos de espuma de PU de recuperación lenta (no alérgica) - 500 pares

Can be use to refill E795 dispenser  
 Può essere utilizzato come refill per il dispenser E795  
 Puede usarse como recambio para el dispensador E795

SNR

38 dB

#### STANDARDS



EN 352-1:2020




CAT III

500 pairs/box

E781

#### PACKAGING



### E785

Corded slow recovery PU Foam (non-allergenic) earplug - 100 pairs - With dispenser box - **SNR 38 dB**  
 Tappi di schiuma di PU a lenta ripresa (anallergici) con cordino -100 paia - Con box dispenser  
 Taponos de espuma de poliuretano de recuperación lenta (hipoalérgicos) con cordón - 100 pares - Con dispensador de caja

SNR

38 dB

#### STANDARDS



EN 352-2:2020




CAT III

Single Polybag/Dispenser

E785

#### PACKAGING





## E788

Corded polymer Earplug (non-allergenic) - 100 pairs - One earplug plastic case included in every 10 earplugs master polybag. - **SNR 32 dB**  
 Tappi in polimero con cordino (anallergici) - 100 paia - Una custodia in plastica inclusa in ogni master polybag da 10 paia  
 Tapones de polimero con cordón (hipoalergénicos) - 100 pares - Una funda de plástico incluida en cada bolsa principal de 10 pares.

**SNR**

32 dB

### STANDARDS



EN 352-2:2020




CAT III

Single polybag/Box

E788

### PACKAGING







**ACTIVE VISIBILITY**



# **ACTIVE VISIBILITY**

## **WORKWEAR**

***STAND OUT EVEN IN THE MOST DANGEROUS ENVIRONMENT***

***FATTI NOTARE ANCHE NEGLI AMBIENTI PIÙ PERICOLOSI  
DESTÁCATE INCLUSO EN LOS ENTORNOS MÁS PELIGROSOS***

# EUROPEAN STANDARDS

## HIGH VISIBILITY WORKWEAR AND RAIN SET

### EN 340:2003 - EN ISO 13688 PROTECTIVE CLOTHING

#### General requirements

The standard specifies the general requirements for ergonomics, aging, sizes, and marking of protective clothing are regulated. The garments must be designed and manufactured to offer the wearer the maximum degree of comfort. The components and materials used must not cause undesired effects to the user, such as allergies, irritations, or injuries. The size range should be representative of body measurements.



### EN ISO 20471:2013/A1:2016 HIGH-VISIBILITY WARNING CLOTHING FOR PROFESSIONAL USE - REQUIREMENTS AND TEST METHODS

All high-visibility garments are certified, according to the criteria outlined in the table below, concerning the minimum areas of fluorescent material that provide increased visibility during the day and the retroreflective band for artificial light (car headlights) that enhances visibility at night.



**X:** class of the background and retroreflective material area (see table 1, class from 1 to 3)

MINIMUM AREAS OF VISIBLE MATERIAL	CLASS 3 GARMENTS	CLASS 2 GARMENTS	CLASS 1 GARMENTS
Fluorescent background material	0,80 m <sup>2</sup>	0,50 m <sup>2</sup>	0,14 m <sup>2</sup>
Retroreflective material	0,20 m <sup>2</sup>	0,13 m <sup>2</sup>	0,10 m <sup>2</sup>

### EN 342:2017 COLD PROTECTION GARMENTS

The standard specifies the requirements and test methods for the performance of sets of clothing (for example, suits composed of two pieces or one-piece suits) for protection against the effects of environments colder than -5 °C. These effects include not only low air temperatures but also humidity and wind speed. Specific padding and technical details allow the garment to breathe while simultaneously keeping the wearer warm.



**Y (B):** thermal insulation measured on stationary manikin (m<sup>2</sup> K/W)

**AP:** air permeability class (class 1 to 3)

**WP:** water penetration resistance (optional, if the garment has not undergone the test, the corresponding marking will be indicated with an X)

#### AIR PERMEABILITY CLASSES

**CLASS 1:** Appropriate for low airspeed, less than 1 m/s.

**CLASS 2:** Appropriate for airspeed less than 5 m/s.

**CLASS 3:** Appropriate for high airspeed, ≥ 5 m/s.

### EN 343 WATERPROOF AND BREATHABLE PROTECTIVE CLOTHING

This regulation specifies the requirements applicable to the materials and seams of protective garments against the influences of precipitation (rain, snow), fog, and ground humidity. The garments are designed and constructed using waterproof and breathable materials, paying particular attention to sealing all seams, to ensure an excellent level of comfort.



**X:** water resistance (class 1 to 4)

**Y:** breathable properties (class 1 to 4)

**R:** Finished garment tested in a rain tower, is optional (ISO 7000-2413, weather protective equipment)



## ACTIVE VISIBILITY



### DETAILS/DETTAGLI/DETALLES



# HI-VIS PARKA 5 in 1 REFLECT

300D Oxford PU coated - Reflective tape for enhanced visibility - **Pass EN ISO 20471 after 50 washes**

Oxford 300D rivestimento PU - Nastro riflettente per una maggiore visibilità - **Supera EN ISO 20471 dopo 50 lavaggi**

Oxford 300D recubierta PU - Cinta reflectante para una mayor visibilidad - **Cumple con la norma EN ISO 20471 después de 50 lavados**

### DESCRIPTION/DESCRIZIONE/DESCRIPCIÓN

**Shell Fabric/Materiale Esterno/Tejido exterior:** 100% Polyester 300D Oxford, Double Waterproof PU Coated 190g/ 100% Poliestere 300D Oxford, Doppio rivestimento PU impermeabile 190g/ 100% poliéster 300D Oxford, doble revestimiento PU impermeable de 190 g

**Lining Fabric/Materiale della fodera/Material del forro:** 100% Polyester Mesh 60g/Maglia 100% Poliestere 60 g/ Malla 100% Poliéster 60g

**Inside Removable Lining Fabric/Materiale della fodera interna rimovibile/**

**Forro interior desmontable:** 100% Polyester Fleece 280g/100% Pile Poliestere 280g/ 100% poliéster fleece de 280 g

**Inside Removable Shell Fabric/Materiale Esterno della parte interna rimovibile/Tejido exterior desmontable:** 100% Polyester 300D Oxford, Double Waterproof PU Coated 190g/ 100% Poliestere 300D Oxford, Doppio rivestimento PU impermeabile 190g/ 100% poliéster 300D Oxford, doble revestimiento PU impermeable de 190 g

**Seams/Cuciture/Costuras:** Heat Sealed/termosaldate/ termoselladas

**Fastener/Chiusura/Cierre:** Two-way fastener for quick and easy access/ bidirezionale per un accesso rapido e facile/bidireccional para un acceso rápido y fácil

**Hood/Cappuccio/ Capucha:** yes/sì

**Pokets/Tasche/Bolsillos:** 7

### STANDARDS

EN ISO20471:2013  
+A1:2016



CLASS 3

EN 343 +  
A1:2007



CLASS 4:1 X WP  
15,000 MM

EN 342:2017



0.411 (M².K/W), 2, X

EN ISO  
13688:2013



Size	Yellow/Giallo/Amarillo	Orange/Arancione/Naranja
S	HVREFYS	HVREFOS
M	HVREFYM	HVREFOM
L	HVREFYL	HVREFOL
XL	HVREFYXL	HVREFOXL
2XL	HVREFYXXL	HVREFOXXL
3XL	HVREFYXXXL	HVREFOXXXL

### PACKAGING





# ACTIVE VISIBILITY

## HI-VIS PARKA NEON



300D Oxford PU coated - Reflective tape for enhanced visibility - **Pass EN ISO 20471 after 50 washes**

Oxford 300D rivestimento PU - Nastro riflettente per una maggiore visibilità - **Supera EN ISO 20471 dopo 50 lavaggi**

Oxford 300D recubierta PU - Cinta reflectante para una mayor visibilidad - **Cumple con la norma EN ISO 20471 después de 50 lavados**

### DESCRIPTION/DESCRIZIONE/DESCRIPCIÓN

**Shell Fabric/Materiale Esterno/Tejido exterior:** 100% Polyester 300D Oxford, Double Waterproof PU Coated 190g/ 100% Poliestere 300D Oxford, Doppio rivestimento PU impermeabile 190g/ 100% poliéster 300D Oxford, doble revestimiento PU impermeable de 190 g

**Lining Fabric/Materiale della fodera/Material del forro:** 100% Polyester 60g/100% Poliestere 60 g/100% Poliéster 60g

**Filling Fabric/Tessuto imbottitura/Tejido del Forro:** 100% Polyester 170g/100% Poliestere 170g/100% poliéster 170 g

**Seams/Cuciture/Costuras:** Heat Sealed/termosaldate/ termoselladas

**Fastener/Chiusura/Cierre:** Two-way fastener for quick and easy access/ bidirezionale per un accesso rapido e facile/bidireccional para un acceso rápido y fácil


**Hood/Cappuccio/ Capucha:** yes/sì

**Pokets/Tasche/Bolsillos:** 4

### DETAILS/DETTAGLI/DETALLES




### STANDARDS



Size	Yellow/Giallo/Amarillo	Orange/Arancione/Naranja
S	HVNEOYS	HVNEOOS
M	HVNEOYM	HVNEOOM
L	HVNEOYL	HVNEOOL
XL	HVNEOYXL	HVNEOXXL
2XL	HVNEOYXXL	HVNEO0XXL
3XL	HVNEOYXXXL	HVNEO0XXXL

### PACKAGING







## ACTIVE VISIBILITY



### DETAILS/DETTAGLI/DETALLES



# HI-VIS BOMBER JACKET FLASH

300D Oxford PU coated - Reflective tape for enhanced visibility - **Pass EN ISO 20471 after 50 washes**

Oxford 300D rivestimento PU - Nastro riflettente per una maggiore visibilità - **Supera EN ISO 20471 dopo 50 lavaggi**

Oxford 300D recubierta PU - Cinta reflectante para una mayor visibilidad - **Cumple con la norma EN ISO 20471 después de 50 lavados**

### DESCRIPTION/DESCRIZIONE/DESCRIPCIÓN

Shell Fabric/Materiale Esterno/Tejido exterior: 100% Polyester 300D Oxford, Double Waterproof PU Coated 190g/ 100% Poliestere 300D Oxford, Doppio rivestimento PU impermeabile 190g/ 100% poliéster 300D Oxford, doble revestimiento PU impermeable de 190 g

Lining Fabric/Materiale della fodera/Material del forro: 100% Polyester 60g/100% Poliestere 60 g/100% Poliéster 60g

Filling Fabric/Tessuto imbottitura/Tejido del Forro: 100% Polyester 170g/100% Poliestere 170g/100% poliéster 170 g

Seams/Cuciture/Costuras: Heat Sealed/termosaldate/ termoselladas

Fastener/Chiusura/Cierre: Two-way fastener for quick and easy access/ bidirezionale per un accesso rapido e facile/bidireccional para un acceso rápido y fácil

Waist/Vita/Cintura: elasticated/elasticizzata/elástica

Hood/Cappuccio/ Capucha: yes/sì

Pokets/Tasche/Bolsillos: 4

### STANDARDS

EN ISO20471:2013  
+A1:2016



CLASS 3

EN 343 +  
A1:2007



CLASS 4:1 X WP  
15,000 MM

EN 342:2017



0.387 (M².K/W),  
3, X

EN ISO  
13688:2013



CAT III

Size	Yellow/Giallo/Amarillo	Orange/Arancione/Naranja
S	HVFLAYS	HVFLAOS
M	HVFLAYM	HVFLAOM
L	HVFLAYL	HVFLAOL
XL	HVFLAYXL	HVFLAOXL
2XL	HVFLAYXXL	HVFLAOXXL
3XL	HVFLAYXXXL	HVFLAOXXXL

### PACKAGING



# ACTIVE VISIBILITY

## HI-VIS RAIN SET RAINSTORM



150D Oxford PU coated - Reflective tape for enhanced visibility - **Pass EN ISO 20471 after 50 washes**

Oxford 150D rivestimento PU - Nastro riflettente per una maggiore visibilità - **Supera EN ISO 20471 dopo 50 lavaggi**

Oxford 150D recubierta PU - Cinta reflectante para una mayor visibilidad - **Cumple con la norma EN ISO 20471 después de 50 lavados**

### DESCRIPTION/DESCRIZIONE/DESCRIPCIÓN

**Shell Fabric/Materiale Esterno/Tejido exterior:** 100% Polyester 150D Oxford, Double Waterproof PU Coated 190g/ 100% Poliestere 150D Oxford, Doppio rivestimento PU impermeabile 190g/ 100% poliéster 150D Oxford, doble revestimiento PU impermeable de 190 g

**Seams/Cuciture/Costuras:** Heat Sealed/termosaldate/ termoselladas

**Fastener/Chiusura/Cierre:** Zipper with flap/ Cerniera con patta/ Cremallera con solapa

**Hood/Cappuccio/ Capucha:** yes/sì

**Pokets/Tasche/Bolsillos:** 2 outsides (jacket); 2 side pockets access openings (trouser)/ 2 esterne (giacca); 2 aperture per tasche laterali (pantalone)/ 2 exteriores (chaqueta); 2 aberturas para acceder a los bolsillos laterales (pantalón)

**Ankles/Caviglie/ Tobillos:** Snap fastener closure/Chiusura con bottoni a pressione/ Cierre con broche a presión

**Waist/Vita/Cintura:** Elasticated Waistband (Trousers)/elasticizzata (pantalone)/ elástica (pantalón)

### DETAILS/DETTAGLI/DETALLES



### STANDARDS

EN ISO 20471:2013  
+A1:2016



CLASS 3

EN 343 +  
A1:2007



CLASS 3:1 X WP  
15,000 MM


EN ISO  
13688:2013



CAT III

Size	Yellow/Giallo/Amarillo	Orange/Arancione/Naranja
S	HVRAIYS	HVRAIOS
M	HVRAIYM	HVRAIOM
L	HVRAIYL	HVRAIOL
XL	HVRAIYXL	HVRAIOXL
2XL	HVRAIYXXL	HVRAIOXXL
3XL	HVRAIYXXXL	HVRAIOXXXL

### PACKAGING





# **ACTIVE RAINWEAR**

## **OUTDOOR GARMENTS**

**ABBIGLIAMENTO ANTI PIOGGIA**  
**ROPA PARA LA LLUVIA**



## AQUA RAIN SET

Rain set 100% Polyester, PVC coated - 200g/m<sup>2</sup>  
 Set anti pioggia 100% poliestere, rivestito in PVC - 200 g/m<sup>2</sup>  
 Conjunto de lluvia 100% poliéster, recubierto de PVC - 200 g/m<sup>2</sup>

### DESCRIPTION/DESCRIZIONE/DESCRIPCIÓN

**Seams/Cuciture/Costuras:** Heat Sealed/termosaldate/ termoselladas  
**Fastener/Chiusura/Cierre:** Zipper with flap/Cerniera con patta/Cremallera con solapa  
**Waist/Vita/Cintura:** Elasticated Waistband (Trousers)/ Fascia elastica in vita (pantaloni)/ Cintura Elástica (Pantalones)  
**Hood/Cappuccio/ Capucha:** yes/sì  
**Pockets/Tasche/Bolsillos:** 2 outsides (jacket); 2 side pockets access openings (trouser)/ 2 esterne (giacca); 2 aperture laterali per le tasche (pantaloni)/ 2 exteriores (chaqueta); 2 aberturas de acceso a los bolsillos laterales (pantalón)  
**Ankles/Caviglie/ Tobillos:** Snap fastener closure/Chiusura con bottoni a pressione/ Cierre con broche a presión

### STANDARDS

EN 343  
 CLASS 3:1 X (WP 5,000mm)




CAT I

EN ISO  
 13688:2013

Size	Yellow/Giallo/Amarillo	Orange/Arancione/Naranja
M	RWAQUYM	RWAQUOM
L	RWAQUYL	RWAQUOL
XL	RWAQUYXL	RWAQUOXL
2XL	RWAQUYXXL	RWAQUOXXL
3XL	RWAQUYXXXL	RWAQUOXXXL

### PACKAGING



## ACTIVE RAINWEAR



## OCEAN RAIN COAT

Raincoat 100% Polyester, PVC coated - 200g/m<sup>2</sup>  
 Impermeabile 100% poliestere, rivestimento in PVC - 200 g/m<sup>2</sup>  
 Chubasquero 100% Poliéster, recubierto de PVC - 200g/m<sup>2</sup>

### DESCRIPTION/DESCRIZIONE/DESCRIPCIÓN

**Seams/Cuciture/Costuras:** Heat Sealed/termosaldate/ termoselladas  
**Fastener/Chiusura/Cierre:** Zipper with flap/Cerniera con patta/Cremallera con solapa  
**Hood/Cappuccio/ Capucha:** yes/sì  
**Pockets/Tasche/Bolsillos:** 2

### STANDARDS

EN 343  
 CLASS 3:1 X (WP 5,000mm)



CAT I

EN ISO  
 13688:2013

Size	Yellow/Giallo/Amarillo	Orange/Arancione/Naranja
M	RWOCEYM	RWOCEOM
L	RWOCEYL	RWOCEOL
XL	RWOCEYXL	RWOCEOXL
2XL	RWOCEYXXL	RWOCEOXXL
3XL	RWOCEYXXXL	RWOCEOXXXL

### PACKAGING







## ACTIVE RAINWEAR



# SPLASH SET

Rain set 100% Polyester, PVC coated - 200g/m<sup>2</sup>  
 Set anti pioggia 100% poliestere, rivestito in PVC - 200 g/m<sup>2</sup>  
 Conjunto de lluvia 100% poliéster, recubierto de PVC - 200 g/m<sup>2</sup>

### DESCRIPTION/DESCRIZIONE/DESCRIPCIÓN

**Seams/Cuciture/Costuras:** Heat Sealed/termosaldade/ termoselladas  
**Fastener/Chiusura/Cierre:** Zipper with flap/Cerniera con patta/Cremallera con solapa  
**Waist/Vita/Cintura:** Elasticated Waistband (Trousers)/ Fascia elastica in vita (pantaloni)/ Cintura Elástica (Pantalones)  
**Hood/Cappuccio/ Capucha:** yes/si  
**Pockets/Tasche/Bolsillos:** 2 outsides (jacket); 2 side pockets access openings (trouser)/ 2 esterne (giacca); 2 aperture laterali per le tasche (pantaloni)/ 2 exteriores (chaqueta); 2 aberturas de acceso a los bolsillos laterales (pantalón)  
**Ankles/Caviglie/ Tobillos:** Snap fastener closure/Chiusura con bottoni a pressione/ Cierre con broche a presión

### STANDARDS

EN 343  
CLASS 3:1 X (WP 5,000mm)



CAT I

EN ISO  
13688:2013

Size	Yellow/Giallo/Amarillo	Navy/Blu/Azul	Green/Verde
S	RWSPLYS	RWSPLNS	RWSPLGS
M	RWSPLYM	RWSPLNM	RWSPLGM
L	RWSPLYL	RWSPLNL	RWSPLGL
XL	RWSPLYXL	RWSPLNXL	RWSPLGLX
2XL	RWSPLYXXL	RWSPLNXXL	RWSPLGXXL
3XL	RWSPLYXXXL	RWSPLNXXXL	RWSPLGXXXL

### PACKAGING



# CYCLONE RAIN COAT

Raincoat 100% Polyester, PVC coated - 200g/m<sup>2</sup>  
 Impermeabile 100% poliestere, rivestimento in PVC - 200 g/m<sup>2</sup>  
 Chubasquero 100% Poliéster, recubierto de PVC - 200g/m<sup>2</sup>

### DESCRIPTION/DESCRIZIONE/DESCRIPCIÓN

**Seams/Cuciture/Costuras:** Heat Sealed/termosaldade/ termoselladas  
**Fastener/Chiusura/Cierre:** Zipper with flap/Cerniera con patta/Cremallera con solapa  
**Hood/Cappuccio/ Capucha:** yes/si  
**Pockets/Tasche/Bolsillos:** 2

### STANDARDS

EN 343  
CLASS 3:1 X (WP 5,000mm)



CAT I

EN ISO  
13688:2013

Size	Yellow/Giallo/Amarillo	Navy/Blu/Azul	Green/Verde
M	RWCYCYM	RWCYCNM	RWCYCGM
L	RWCYCYL	RWCYCNL	RWCYCYGL
XL	RWCYCYXL	RWCYCNXL	RWCYCYGLX
2XL	RWCYCYXXL	RWCYCNXXL	RWCYCYGLXXL
3XL	RWCYCYXXXL	RWCYCNXXXL	RWCYCYGLXXXL

### PACKAGING





## TEMPEST RAIN SET

Rain set 100% PVC, Polyester, PVC - 415g/m<sup>2</sup>  
 SSet anti pioggia 100% PVC, poliestere, PVC - 415 g/m<sup>2</sup>  
 Conjunto de lluvia 100% PVC, Poliéster, PVC - 415g/m<sup>2</sup>

### DESCRIPTION/DESCRIZIONE/DESCRIPCIÓN

**Seams/Cuciture/Costuras:** Heat Sealed/termosaldade/ termoselladas  
**Fastener/Chiusura/Cierre:** Zipper with flap/Cerniera con patta/Cremallera con solapa  
**Waist/Vita/Cintura:** Elasticated Waistband (Trousers)/ Fascia elastica in vita (pantaloni)/ Cintura Elástica (Pantalones)  
**Hood/Cappuccio/ Capucha:** yes/si  
**Pockets/Tasche/Bolsillos:** 2 outsides (jacket); 2 side pockets access openings (trouser)/ 2 esterne (giacca); 2 aperture laterali per le tasche (pantaloni)/ 2 exteriores (chaqueta); 2 aberturas de acceso a los bolsillos laterales (pantalón)  
**Ankles/Caviglie/ Tobillos:** Snap fastener closure/Chiusura con bottoni a pressione/ Cierre con broche a presión

### STANDARDS

EN 343  
 CLASS 3:1 X (WP 5,000mm)



CAT I

EN ISO  
 13688:2013

Size	Yellow/Giallo/Amarillo	Green/Verde
M	RWTEMYM	RWTEGMG
L	RWTEMYL	RWTEMG
XL	RWTEMYXL	RWTEMGXL
2XL	RWTEMYXXL	RWTEMGXXL
3XL	RWTEMYXXXL	RWTEMGXXXL

### PACKAGING



## ACTIVE RAINWEAR



## CASCADES RAIN COAT

Raincoat 100% PVC, Polyester, PVC - 415g/m<sup>2</sup>  
 Impermeabile 100% PVC, poliestere, PVC - 415 g/m<sup>2</sup>  
 Raincoat 100% PVC, Polyester, PVC - 415g/m<sup>2</sup>

### DESCRIPTION/DESCRIZIONE/DESCRIPCIÓN

**Seams/Cuciture/Costuras:** Heat Sealed/termosaldade/ termoselladas  
**Fastener/Chiusura/Cierre:** Zipper with flap/Cerniera con patta/Cremallera con solapa  
**Hood/Cappuccio/ Capucha:** yes/si  
**Pockets/Tasche/Bolsillos:** 2

### STANDARDS

EN 343  
 CLASS 3:1 X (WP 5,000mm)



CAT I

EN ISO  
 13688:2013

Size	Yellow/Giallo/Amarillo	Orange/Arancione/Naranja
M	RWCASYM	RWCASG M
L	RWCASYL	RWCASGL
XL	RWCASYXL	RWCASGL
2XL	RWCASYXXL	RWCASGXXL
3XL	RWCASYXXXL	RWCASGXXXL

### PACKAGING







**ACTIVE FOOTWEAR**



# **ACTIVE FOOTWEAR**

## **SAFETY SHOES**

**WALK IN SAFETY**

**IL TUO CAMMINO IN SICUREZZA  
TU CAMINO SEGURO**

# EUROPEAN STANDARDS

## SAFETY FOOTWEAR

### UNI EN ISO 20345 PERSONAL PROTECTIVE EQUIPMENT SAFETY FOOTWEAR

This standard is the official version of the European standard EN ISO 20345 (December 2011 edition). The standard specifies the basic and additional (optional) requirements for safety footwear.



REQUIREMENTS FOR FOOTWEAR		UNI EN ISO 20345						
Symbol	Characteristics	SB	S1	S2	S3	S4	S5	Minimum required values
-	Closed heel area	0	X	X	X	X	X	-
-	Toe cap resistant to a shock of 200J	X	X	X	X	X	X	-
<b>A</b>	Antistatic footwear	0	X	X	X	X	X	da 1x 10 <sup>5</sup> OHM a 1x10 <sup>9</sup> OHM
<b>E</b>	Energy absorption in the heel area	0	X	X	X	X	X	20 joule
<b>FO</b>	Hydrocarbon resistance of the sole	0	X	X	X	X	X	Requirement always included in UNI EN ISO 20345 but to be specified with the initials FO in UNI EN ISO 20347
<b>WRU</b>	Water-absorbing penetration of the upper	0	-	X	X	-	-	> 60' - Absorption 30% H2O transmitted after 60' 0.2gr
<b>P</b>	Resistance to perforation of the bottom of the shoe	0	0	-	X	0	X	1100 N
<b>CI</b>	Insulation from the cold of the bottom of the shoe	0	0	0	0	0	0	A temp. 10°C
<b>HI</b>	Insulation from the heat of the bottom of the shoe	0	0	0	0	0	0	A temp. 22°C
<b>HRO</b>	Heat resistance by contact of the sole	0	0	0	0	0	0	A 300° per 60" - not melting
<b>AN</b>	Ankle protection	0	0	0	0	0	0	Average value 20kN
<b>WR</b>	Water resistant footwear	-	-	0	0	0	0	No penetration for the first 15'. After 100 lengths, no more than 3 square cm of water should enter (stain).
<b>M</b>	Metatarsal protection	0	0	0	0	0	0	Height after impact 40mm (size 42)
<b>CR</b>	Cut resistance of the upper	0	0	0	0	0	0	Fattore I 2,5

X: Mandatory requirement for the indicated category  
 0: Optional requirement added to the mandatory ones, if reported on the marking  
 - Requirement not applicable

### SLIPPING RESISTANCE

Marking symbol	Required conditions by the standard
<b>SRA</b> test plane: ceramic lubricant: water and detergent	≥ 0.32 shoe plant ≥ 0.28 shoe heel 7 ° inclination
<b>SRB</b> test plane: steel lubricant: glycerin	≥ 0.18 shoe plant ≥ 0.13 shoe heel 7 ° inclination
<b>SRC</b> (SRA + SRB)	Marking with both methods





## ACTIVE FOOTWEAR



A-PRO Low Black



A-PRO High Black



# A-PRO Low/High Black

S1-P SRC

### DESCRIPTION/DESCRIZIONE/DESCRIPCIÓN

**Upper/Tomaia/Corte:** Black Grain Leather/pelle a grana nera/cuero de grano negro

**Lining/Fodera/ Forro:** breathing/traspirante/ transpirable

**Toe-Cap/Puntale/Puntera:** steel/acciaio/de acero

**Midsole/Suola antiperforazione/Suela Antiperforación:** steel/acciaio/acero

**Footbed/Suola interna/Suela interior:** Removable Anatomical Footbed/plantare anatomico amovibile/Plantilla anatómica removibile

**Inner Layer Sole/Intersuola/Intersole:** Comfortable PU Inner Layer/strato comfort in PU/ Cómoda suela intermedia de PU

**Outer Sole/Suola/Suela:** Resistant, antislip and anti-static PU/in PU resistente a oli e idrocarburi, antiscivolo e antistatico/de PU resistente a aceites e hidrocarburos, antideslizante y antiestático

### STANDARDS



EN ISO 20345: 2011



CRT II

S1-P

SRC

### PACKAGING



x1



x10



10



Toe cap



Slip  
Resistant

Size	A-PRO Low Black	A-PRO High Black
35	APROLB35	APROHB35
36	APROLB36	APROHB36
37	APROLB37	APROHB37
38	APROLB38	APROHB38
39	APROLB39	APROHB39
40	APROLB40	APROHB40
41	APROLB41	APROHB41
42	APROLB42	APROHB42
43	APROLB43	APROHB43
44	APROLB44	APROHB44
45	APROLB45	APROHB45
46	APROLB46	APROHB46
47	APROLB47	APROHB47
48	APROLB48	APROHB48
49	APROLB49	APROHB49

# ACTIVE SHOES



A-FIRST Low Black



A-FIRST High Black



## A-FIRST Low/High Black

S3 - SRC

### DESCRIPTION/DESCRIZIONE/DESCRIPCIÓN

**Upper/Tomaia/Corte:** Water Resistant Black Grain Leather/pelle stampata idrorepellente/Piel grabada, hidrófuga

**Lining/Fodera/ Forro:** breathing/traspirante/ transpirable

**Toe-Cap/Puntale/Puntera:** steel/acciaio/de acero

**Midsole/Suola antiperforazione/Suela Antiperforación:** steel/acciaio/acero

**Footbed/Suola interna/Suela interior:** Removable Anatomical Footbed/plantare anatomico amovibile/Plantilla anatómica removibile

**Inner Layer Sole/Intersuola/Intersole:** Comfortable PU Inner Layer/strato comfort in PU  
Cómoda suela intermedia de PU

**Outer Sole/Suola/Suela:** Resistant, antislip and anti-static PU/in PU resistente a oli e idrocarburi, antiscivolo e antistatico/de PU resistente a aceites e hidrocarburos, antideslizante y antiestático

### STANDARDS



EN ISO 20345: 2011



CAT II

S3

SRC

### PACKAGING



x1



x10



10



Toe cap



Slip  
Resistant



Water  
resistant

Size	A-FIRST Low Black	A-FIRST High Black
35	AFIRLB35	AFIRHB35
36	AFIRLB36	AFIRHB36
37	AFIRLB37	AFIRHB37
38	AFIRLB38	AFIRHB38
39	AFIRLB39	AFIRHB39
40	AFIRLB40	AFIRHB40
41	AFIRLB41	AFIRHB41
42	AFIRLB42	AFIRHB42
43	AFIRLB43	AFIRHB43
44	AFIRLB44	AFIRHB44
45	AFIRLB45	AFIRHB45
46	AFIRLB46	AFIRHB46
47	AFIRLB47	AFIRHB47
48	AFIRLB48	AFIRHB48
49	AFIRLB49	AFIRHB49
50	AFIRLB50	AFIRHB50



## ACTIVE FOOTWEAR



# A-ROCK Low Grey

S1-P SRC

### DESCRIPTION/DESCRIZIONE/DESCRIPCIÓN

**Upper/Tomaia/Corte:** Soft Grey Suede Leather/pelle scamosciata e tessuto altamente traspirante grigio/Gamuza y tejido altamente transpirable gris

**Lining/Fodera/ Forro:** breathing/traspirante/ transpirable

**Toe-Cap/Puntale/Puntera:** steel/acciaio/de acero

**Midsole/Suola antiperforazione/Suela Antiperforación:** steel/acciaio/acero

**Footbed/Suola interna/Suela interior:** Removable Anatomical Footbed/plantare anatomico amovibile/Plantilla anatómica removibile

**Inner Layer Sole/Intersuola/Intersole:** Comfortable PU Inner Layer/strato comfort in PU/ Cómoda suela intermedia de PU

**Outer Sole/Suola/Suela:** Resistant, antislip and anti-static PU/in PU resistente a oli e idrocarburi, antiscivolo e antistatico/de PU resistente a aceites e hidrocarburos, antideslizante y antiestático

### STANDARDS



EN ISO 20345: 2011



S1-P

SRC

### PACKAGING



x1



x10



10



Toe cap



Slip  
Resistant

Size	A-ROCK Low Grey
35	AROCLG35
36	AROCLG36
37	AROCLG37
38	AROCLG38
39	AROCLG39
40	AROCLG40
41	AROCLG41
42	AROCLG42
43	AROCLG43
44	AROCLG44
45	AROCLG45
46	AROCLG46
47	AROCLG47

# ACTIVE SHOES



A-FLY Low Black



A-FLY High Black



## A-FLY Low/High Black

S3 - SRC - 0% Metal

### DESCRIPTION/DESCRIZIONE/DESCRIPCIÓN

**Upper/Tomaia/Corte:** Water Resistant Black Full Grain Leather/pelle pieno fiore grana idrorepellente/Piel plena flor hidrófuga

**Lining/Fodera/ Forro:** breathing/traspirante/ transpirable

**Toe-Cap/Puntale/Puntera:** Extra Light Fiber Glass/ultra leggero in fibra di vetro/de fibra de vidrio ultraligera

**Midsole/Suola antiperforazione/Suela Antiperforación:** Textile Anti-Perforation Midsole/in fibra composita/anti-perforación in composite

**Footbed/Suola interna/Suela interior:** Comfortable Removable Anatomical PU Footbed/in PU anatomica removibile e confortevole

**Inner Layer Sole/Intersuola/Intersole:** Comfortable PU Inner Layer/strato comfort in PU/ Cómoda suela intermedia de PU

**Outer Sole/Suola/Suela:** Resistant, antislip and anti-static PU/in PU resistente a oli e idrocarburi, antiscivolo e antistatico/de PU resistente a aceites e hidrocarburos, antideslizante y antiestático

### STANDARDS



EN ISO 20345: 2011



CAT II

S3

SRC

### PACKAGING



x1



x10



10



Toe cap



0% Metal



Slip Resistant

Size	A-FIRST Low Black	A-FIRST High Black
36	AFLYLB36	AFLYHB36
37	AFLYLB37	AFLYHB37
38	AFLYLB38	AFLYHB38
39	AFLYLB39	AFLYHB39
40	AFLYLB40	AFLYHB40
41	AFLYLB41	AFLYHB41
42	AFLYLB42	AFLYHB42
43	AFLYLB43	AFLYHB43
44	AFLYLB44	AFLYHB44
45	AFLYLB45	AFLYHB45
46	AFLYLB46	AFLYHB46
47	AFLYLB47	AFLYHB47
48	AFLYLB48	AFLYHB48
49	AFLYLB49	AFLYHB49





## ACTIVE FOOTWEAR



A-LOOK Low Green



A-LOOK Low Grey



# A-LOOK Low Green/Grey

S1-P SRC - 0% Metal

### DESCRIPTION/DESCRIZIONE/DESCRIPCIÓN

**Upper/Tomaia/Corte:** Soft Grey Suede Leather/pelle scamosciata e tessuto altamente traspirante grigio/Gamuza y tejido altamente transpirable gris

**Lining/Fodera/ Forro:** breathing/traspirante/ transpirable

**Toe-Cap/Puntale/Puntera:** Extra Light Fiber Glass/ultra leggero in fibra di vetro/de fibra de vidrio ultraligera

**Midsole/Suola antiperforazione/Suela Antiperforación:** Textile Anti-Perforation Midsole/in fibra composita/anti-perforación in composite

**Footbed/Suola interna/Suela interior:** Removable Anatomical Footbed/plantare anatomico amovibile/Plantilla anatómica removibile

**Inner Layer Sole/Intersuola/Intersole:** Comfortable PU Inner Layer/strato comfort in PU/ Cómoda suela intermedia de PU

**Outer Sole/Suola/Suela:** Resistant, antislip and anti-static PU/in PU resistente a oli e idrocarburi, antiscivolo e antistatico/de PU resistente a aceites e hidrocarburos, antideslizante y antiestático

### STANDARDS



EN ISO 20345: 2011



CRT II

S1-P

SRC

### PACKAGING



x1



x10



10



Toe cap



0% Metal



Slip Resistant

Size	A-LOOK Low Green	A-LOOK Low Grey
35	AL00LL35	AL00LG35
36	AL00LL36	AL00LG36
37	AL00LL37	AL00LG37
38	AL00LL38	AL00LG38
39	AL00LL39	AL00LG39
40	AL00LL40	AL00LG40
41	AL00LL41	AL00LG41
42	AL00LL42	AL00LG42
43	AL00LL43	AL00LG43
44	AL00LL44	AL00LG44
45	AL00LL45	AL00LG45
46	AL00LL46	AL00LG46
47	AL00LL47	AL00LG47
48	AL00LL48	AL00LG48

# ACTIVE SHOES



## A-STYLE Low Navy

S1-P SRC 0% Metal

### DESCRIPTION/DESCRIZIONE/DESCRIPCIÓN

**Upper/Tomaia/Corte:** Soft Grey Suede Leather/pelle scamosciata e tessuto altamente traspirante grigio/Gamuza y tejido altamente transpirable gris

**Lining/Fodera/ Forro:** breathing/traspirante/ transpirable

**Toe-Cap/Puntale/Puntera:** Extra Light Fiber Glass/ultra leggero in fibra di vetro/de fibra de vidrio ultraligera

**Midsole/Suola antiperforazione/Suela Antiperforación:** Textile Anti-Perforation Midsole/in fibra composita/anti-perforación in composite

**Footbed/Suola interna/Suela interior:** Removable Anatomical Footbed/plantare anatomico amovibile/Plantilla anatómica removibile

**Outer Sole/Suola/Suela:** Resistant, antislip and anti-static PU/in PU resistente a oli e idrocarburi, antiscivolo e antistatico/de PU resistente a aceites e hidrocarburos, antideslizante y antiestático

### STANDARDS



EN ISO 20345: 2011



CAT II

S1-P

SRC

### PACKAGING



x1



x10



10



Toe cap



0% Metal



Slip  
Resistant

Size	A-STYLE Navy
35	ASTYLN35
36	ASTYLN36
37	ASTYLN37
38	ASTYLN38
39	ASTYLN39
40	ASTYLN40
41	ASTYLN41
42	ASTYLN42
43	ASTYLN43
44	ASTYLN44
45	ASTYLN45
46	ASTYLN46
47	ASTYLN47



## ACTIVE FOOTWEAR



A-RUN Low Green



A-RUN High Green



# A-RUN Low/High Green

S3 SRC 0% Metal

### DESCRIPTION/DESCRIZIONE/DESCRIPCIÓN

**Upper/Tomaia/Corte:** Sew Breathable and Resistant Fabric/materialo traspirante, resistente ed idrorepellente/materialo transpirabile, resistente e idrorepellente

**Lining/Fodera/ Forro:** breathing/traspirante/ transpirabile

**Toe-Cap/Puntale/Puntera:** Extra Light Fiber Glass/ultra leggero in fibra di vetro/de fibra de vidrio ultraligera

**Midsole/Suola antiperforazione/Suela Antiperforación:** Textile Anti-Perforation Midsole/in fibra composita/anti-perforación in composite

**Footbed/Suola interna/Suela interior:** Removable Anatomical Footbed/plantare anatomico amovibile/Plantilla anatómica removibile

**Outer Sole/Suola/Suela:** Resistant, antislip and anti-static PU/in PU resistente a oli e idrocarburi, antiscivolo e antistatico/de PU resistente a aceites e hidrocarburos, antideslizante y antiestático

### STANDARDS



EN ISO 20345: 2011



CAT II

S3

SRC

### PACKAGING



x1



x10



10



Anti-static



0% Metal



Latex free



Oil and hydrocarbon resistant sole



Shock Absorbing



Water resistant



Toe cap



Slip Resistant



Light Weight

Size	A-RUN Low Green	A-RUN High Green
38	ARUNLL38	-
39	ARUNLL39	ARUNHL39
40	ARUNLL40	ARUNHL40
41	ARUNLL41	ARUNHL41
42	ARUNLL42	ARUNHL42
43	ARUNLL43	ARUNHL43
44	ARUNLL44	ARUNHL44
45	ARUNLL45	ARUNHL45
46	ARUNLL46	ARUNHL46
47	ARUNLL47	ARUNHL47

# ACTIVE SHOES



A-SPRINT Low Green



A-SPRINT High Green



## A-SPRINT Low/High Green

S3 SRC ESD 0% Metal

### DESCRIPTION/DESCRIZIONE/DESCRIPCIÓN

**Upper/Tomaia/Corte:** No-Sew Breathable and Resistant Fabricc/no-sew, materiale traspirante e resistente/No-Sew, material transpirable y resistente

**Lining/Fodera/ Forro:** breathing/traspirante/ transpirable

**Toe-Cap/Puntale/Puntera:** Extra Light Fiber Glass/ultra leggero in fibra di vetro/de fibra de vidrio ultraligera

**Midsole/Suola antiperforazione/Suela Antiperforación:** Textile Anti-Perforation

Midsole/in fibra composita/anti-perforación in composite

**Footbed/Suola interna/Suela interior:** Removable Anatomical Footbed/plantare anatomico amovibile/Plantilla anatómica removibile

**Outer Sole/Suola/Suela:** Resistant, antislip and anti-static PU/in PU resistente a oli e idrocarburi, antiscivolo e antistatico/de PU resistente a aceites e hidrocarburos, antideslizante y antiestático

### STANDARDS



EN ISO 20345: 2011



CAT II

S3

SRC

### PACKAGING



x1



x10



10



Electro Static Discharge



Anti-static



0% Metal



Latex free



Light Weight



Oil and hydrocarbon resistant sole



Shock Absorbing



Slip Resistant



Water resistant



Toe cap

Size	A-SPRINT Low Green	A-SPRINT High Green
38	ASPRLL38	-
39	ASPRLL39	ASPRHL39
40	ASPRLL40	ASPRHL40
41	ASPRLL41	ASPRHL41
42	ASPRLL42	ASPRHL42
43	ASPRLL43	ASPRHL43
44	ASPRLL44	ASPRHL44
45	ASPRLL45	ASPRHL45
46	ASPRLL46	ASPRHL46
47	ASPRLL47	ASPRHL47





## ACTIVE FOOTWEAR



A-FIT Low Orange



A-FIT High Orange



# A-FIT Low/High Orange

S3L SR FO ESD 0% Metal

### DESCRIPTION/DESCRIZIONE/DESCRIPCIÓN

**Upper/Tomaia/Corte:** No-Sew Breathable and Resistant Fabricc/no-sew, materiale traspirante e resistente/No-Sew, material transpirable y resistente  
**Lining/Fodera/ Forro:** breathing/traspirante/ transpirable

**Toe-Cap/Puntale/Puntera:** Extra Light Fiber Glass/ultra leggero in fibra di vetro/de fibra de vidrio ultraligera

**Midsole/Suola antiperforazione/Suela Antiperforación:** Textile Anti-Perforation  
Midsole/in fibra composita/anti-perforación in composite

**Footbed/Suola interna/Suela interior:** PU Removable Anatomical Footbed/plantare anatomico amovibile in PU/Plantilla anatómica removible en PU

**Outer Sole/Suola/Suela:** Resistant, antislip and anti-static PU/in PU resistente a oli e idrocarburi, antiscivolo e antistatico/de PU resistente a aceites e hidrocarburos, antideslizante y antiestático

### STANDARDS



EN ISO 20345: 2011



CAT II

S3L

SR

FO

### PACKAGING



x1



x10



10



Electro Static Discharge



Anti-static



0% Metal



Latex free



Light Weight



Oil and hydrocarbon resistant sole



Shock Absorbing



Slip Resistant



Water resistant



Toe cap

Size	A-FIT Low Orange	A-FIT High Orange
36	AFITL036	-
37	AFITL037	-
38	AFITL038	-
39	AFITL039	AFITH039
40	AFITL040	AFITH040
41	AFITL041	AFITH041
42	AFITL042	AFITH042
43	AFITL043	AFITH043
44	AFITL044	AFITH044
45	AFITL045	AFITH045
46	AFITL046	AFITH046
47	AFITL047	ASPRHL47
48	AFITL048	AFITH048

# ACTIVE SHOES



A-FORCE Low Brown



A-FORCE High Brown



## A-FORCE Low/High Brown

53 SRC 0% Metal

### DESCRIPTION/DESCRIZIONE/DESCRIPCIÓN

**Upper/Tomaia/Corte:** Water Resistant Brown Pull Up Leather/pelle pieno fiore Pull Up idrorepellente/Piel plena flor Pull Up hidrófuga

**Lining/Fodera/ Forro:** breathing/traspirante/ transpirabile

**Toe-Cap/Puntale/Puntera:** Extra Light Fiber Glass/ultra leggero in fibra di vetro/de fibra de vidrio ultraligera

**Midsole/Suola antiperforazione/Suela Antiperforación:** Textile Anti-Perforation Midsole/in fibra composita/anti-perforación in composite

**Footbed/Suola interna/Suela interior:** PU Removable Anatomical Footbed/plantare anatomico amovibile in PU/Plantilla anatómica removible en PU

**Inner Layer Sole/Intersuola/Intersole:** Comfortable PU Inner Layer/strato comfort in PU/Cómoda suela intermedia de PU

**Outer Sole/Suola/Suela:** Resistant, antislip and anti-static PU/in PU resistente a oli e idrocarburi, antiscivolo e antistatico/de PU resistente a aceites e hidrocarburos, antideslizante y antiestático

### STANDARDS



EN ISO 20345: 2011



CAT II

53

SRC

### PACKAGING



x1



x10



10



Anti-static



Latex free



Oil and hydrocarbon resistant sole



Shock Absorbing



Slip Resistant



Water resistant



Toe cap

Size	A-FORCE Low Brown	A-FORCE High Brown
38	AFORLC38	AFORHC38
39	AFORLC39	AFORHC39
40	AFORLC40	AFORHC40
41	AFORLC41	AFORHC41
42	AFORLC42	AFORHC42
43	AFORLC43	AFORHC43
44	AFORLC44	AFORHC44
45	AFORLC45	AFORHC45
46	AFORLC46	AFORHC46
47	AFORLC47	AFORHC47
48	AFORLC48	AFORHC48
49	AFORLC49	AFORHC49
50	-	AFORHC50



## ACTIVE FOOTWEAR



# A-SNOW Brown

S3 CI SRC 0% Metal

### DESCRIPTION/DESCRIZIONE/DESCRIPCIÓN

**Upper/Tomaia/Corte:** Water Resistant Brown Leather/pelle pieno fiore idrorepellente/Piel plena flor hidrófuga

**Lining/Fodera/ Forro:** Synthetic Wool Lining/lana sintetica/lana sintética

**Toe-Cap/Puntale/Puntera:** Extra Light Fiber Glass/ultra leggero in fibra di vetro/de fibra de vidrio ultraligera

**Midsole/Suola antiperforazione/Suela Antiperforación:** Textile Anti-Perforation Midsole/in fibra composita/anti-perforación in composite

**Footbed/Suola interna/Suela interior:** PU Removable Anatomical Footbed/plantare anatomico amovibile in PU/Plantilla anatómica removible en PU

**Inner Layer Sole/Intersuola/Intersole:** Comfortable PU Inner Layer/strato comfort in PU/Cómoda suela intermedia de PU

**Outer Sole/Suola/Suela:** Resistant, antislip and anti-static PU/in PU resistente a oli e idrocarburi, antiscivolo e antistatico/de PU resistente a aceites e hidrocarburos, antideslizante y antiestático

### STANDARDS



EN ISO 20345: 2011



CAT II

S3

CI

SRC

### PACKAGING



x1



x5



5



Anti-static



Latex free



Shock Absorbing



Oil and hydrocarbon resistant sole



Slip Resistant



Water resistant



Toe cap

Size	A-SNOW Brown
38	ASNOWC38
39	ASNOWC39
40	ASNOWC40
41	ASNOWC41
42	ASNOWC42
43	ASNOWC43
44	ASNOWC44
45	ASNOWC45
46	ASNOWC46
47	ASNOWC47

# ACTIVE SHOES



## A-ENDURO Brown

53 CI SRC 0% Metal

### DESCRIPTION/DESCRIZIONE/DESCRIPCIÓN

**Upper/Tomaia/Corte:** Water Resistant Brown Pull Up Leather/pelle pieno fiore Pull Up idrorepellente/Piel plena flor Pull Up hidrófuga

**Lining/Fodera/ Forro:** Synthetic Wool Lining/lana sintetica/lana sintética

**Toe-Cap/Puntale/Puntera:** Extra Light Fiber Glass/ultra leggero in fibra di vetro/de fibra de vidrio ultraligera

**Midsole/Suola antiperforazione/Suela Antiperforación:** Textile Anti-Perforation Midsole/in fibra composita/anti-perforación in composite

**Footbed/Suola interna/Suela interior:** PU Removable Anatomical Footbed/plantare anatomico amovibile in PU/Plantilla anatómica removible en PU

**Inner Layer Sole/Intersuola/Intersole:** Comfortable PU Inner Layer/strato comfort in PU/Cómoda suela intermedia de PU

**Outer Sole/Suola/Suela:** Resistant, antislip and anti-static PU/in PU resistente a oli e idrocarburi, antiscivolo e antistatico/de PU resistente a aceites e hidrocarburos, antideslizante y antiestático

### STANDARDS



### PACKAGING



Anti-static



Latex free



Shock Absorbing



Oil and hydrocarbon resistant sole



Slip Resistant



Water resistant



Toe cap

Size	A-SNOW Brown
38	AENDUC38
39	AENDUC39
40	AENDUC40
41	AENDUC41
42	AENDUC42
43	AENDUC43
44	AENDUC44
45	AENDUC45
46	AENDUC46
47	AENDUC47
48	AENDUC48
49	AENDUC49
50	AENDUC50





**ACCESORIES**



## Active Case AB

First Aid Case - AB group  
 Complies with All. 1 D.lgs. 81/2008-D.M.388/2003 for company of AB category with more than two workers.  
 Valigetta primo soccorso - Gruppo AB  
 Contenuto conforme al D.Lgs. n°81/2008 - All. 1 D.M. 388/2003 gruppo AB per aziende o unità produttive con due o più lavoratori.  
 Estuche de Primeros Auxilios - categoría AB  
 Contenido de acuerdo con el Decreto italiano N° 81/2008 para empresas o unidades de producción con más de dos trabajadores.

# ACTIVE CASE

## FIRST AID CASES

**KIT DI PRIMO SOCCORSO**  
**ESTUCHES DE PRIMEROS AUXILIOS**

### STANDARDS

**CE** D.L. 81/2008 MDR 745/2017  
 CAT AB

1 case/box	Dimension
ZCASEAB	40,5x30x11,4

### PACKAGING




# ACTIVE CASE



## Active Case AB - Refill


First Aid Case Refill - AB group  
**Complies with All. 1 D.lgs. 81/2008-D.M.388/2003 for company of AB category with more than two workers.**  
 Reintegro per valigetta primo soccorso - Gruppo AB  
**Contenuto conforme al D.Lgs. n°81/2008 - All. 1 D.M. 388/2003 gruppo AB per aziende o unità produttive con due o più lavoratori.**  
 Reembolso por estuche de Primeros Auxilios - categoría AB  
**Contenido de acuerdo con el Decreto italiano N° 81/2008 para empresas o unidades de producción con más de dos trabajadores.**

### STANDARDS



1 refill/box	Dimension
ZCASEABR	38,4X15,2X22,8

### PACKAGING



## Active Case C

First Aid Case - C group  
**Complies with All. 1 D.lgs. 81/2008-D.M.388/2003 for company of C category for companies or production units with fewer than three employees and for workers who carry out their activities outside the company premises**  
 Valigetta primo soccorso - Gruppo C **Contenuto conforme al D.Lgs. n°81/2008 - All. 1 D.M. 388/2003 per aziende o unità produttive con meno di tre lavoratori e per lavoratori che prestano la propria attività fuori dalla sede aziendale**  
 Estuche de Primeros Auxilios - categoría C **Contenido de acuerdo con el Decreto italiano N° 81/2008 para empresas o unidades de producción con menos de tres trabajadores y para los trabajadores que realizan su actividad fuera de las instalaciones de la empresa.**

### STANDARDS



1 case/box	Dimension
ZCASEC	30,9X20,9X9,7


### PACKAGING



## Active Case C - Refill

First Aid Case Refill - C group  
**Complies with All. 1 D.lgs. 81/2008-D.M.388/2003 for company of C category for companies or production units with fewer than three employees and for workers who carry out their activities outside the company premises**  
 Reintegro per valigetta primo soccorso - Gruppo C **Contenuto conforme al D.Lgs. n°81/2008 - All. 1 D.M. 388/2003 per aziende o unità produttive con meno di tre lavoratori e per lavoratori che prestano la propria attività fuori dalla sede aziendale**  
 Reembolso por estuche de Primeros Auxilios - categoría C **Contenido de acuerdo con el Decreto italiano N° 81/2008 para empresas o unidades de producción con menos de tres trabajadores y para los trabajadores que realizan su actividad fuera de las instalaciones de la empresa.**

### STANDARDS



1 case/box	Dimension
ZCASECR	33X13X12

### PACKAGING



# INDEX

## ACTIVE GEAR

### WORK GLOVES 4

#### ACTIVE CUT 10

C3160	11
C8240	11
C8170	11
C8220	12
C8120	12
C1180	12
C3210	13
C3180	13
C3190	13
C3260	14
C3360	14
C3370	14
C3320	15
C8180	15
C3280	15
C3290	16
C3490	16
CR535/45/60	16
AGX	18
C3170	19
C8260	19
C8280	19

#### ACTIVE FLEX 20

F8140	21
F8150	21
F8160	21
F8250	21
F8210	22
F3220	22
F3230	22
F3410	23
F3420	23
F3330	23
F3310	24
F3270	24
F3270D	24
F3130	25
F3140	25
F3150	25

#### ACTIVE GRIP 26

G1140	27
G1270	27
G1170	27
G1190	28
G1210	28
G1510	29

G1150	29
G3340	29
G3380	30
G3350	30
G3240	30
G3110	31
G3120	31
G3250	31
G3570	32
G3560	32
G3540	32
G3580	33
G3580B	33

#### ACTIVE ICE 34

I1120	34
I1110	35
I1130	35
I3390	35

#### ACTIVE STRONG 36

S6580	37
S6180	37
S6190	38
S6140	38
S6290	38
S6560	39
S6530	39
S6130	40
S6510	40
S6110	40
S6120	41
S6520	41
S6220	41

#### ACTIVE WELDING 42

W6150	42
W6570	43
W6170	43
W6270	43

#### ACTIVE CHEM & DEXT 44

H2040	45
H4010	45
H4020 PLUS	45
H7010	45
H7020	46
H7030	46
H7040	46
H7120	47
H7130	47
H7140	47

H7220	48
H7230	48
H7240	48
D1610	49
D1620	49
D1650	50
D3750	50
D3610	50
D3620	51
D3630	51
D9240	51
D3660	52
D3680	53
D3690	53
D3680	49
D3680	49

#### ACTIVE COVER 54

X410	57
X440	58
X530/X530B	59
X540	60
X550	61
X570	61
X580/X580G	62
X590	63
X85/X86	64
X80/X81	64
X77/X78	64
X70/X71	65
X90	65
X94	65
X96	65

#### ACTIVE VISION 66

V100	68
V110/111/112	68
V115/116	68
V120/121	69
V130/131	69
V140/141	70
V680	70
V610/611	70
V620/621	71
V630/631	71
V640/641	72
V650	72
V660	72
V670	73
V300	73

V310.....	73
V320.....	74
V330.....	74
V900M.....	74
V910M.....	74
V920.....	75
V922.....	75
V930.....	75

**ACTIVE AIR 76**

R35.....	78
R30.....	78
R32.....	78
R31.....	79
R34.....	79
R36.....	79
R20.....	80
R21C.....	80
R21.....	80
R26.....	81
R25.....	81
R1000.....	81
M10.....	82
F10.....	82

F20.....	82
F50.....	83
M50.....	83

**ACTIVE EAR 84**

E740.....	86
E730.....	86
E795.....	86
E790.....	87
E780.....	88
E781.....	88
E785.....	88
E788.....	89

**ACTIVE VISIBILITY 90**

REFLECT.....	92
NEON.....	93
FLASH.....	94
RAINSTORM.....	95
AQUA RAIN SET.....	97
OCEAN RAIN COAT.....	97
SPLASH SET.....	98
CYCLONE RAIN COAT.....	98
TEMPEST RAIN SET.....	99
CASCADES RAIN COAT.....	99

**ACTIVE SHOES 100**































A-PRO Low/High Black.....	102
A-FIRST Low/High Black.....	103
A-ROCK Low Grey.....	104
A-FLY Low/High Black.....	105
A-LOOK Low Green/Grey.....	106
A-STYLE Low Navy.....	107
A-RUN Low/High Green.....	108
A-SPRINT Low/High Green.....	109
A-FIT Low/High Orange.....	110
A-FORCE Low/High Brown.....	111
A-SNOW Brown.....	112
A-ENDURO Brown.....	113

**ACTIVE ACCESSORIES 114**

FIRST AID CASES.....	114
ACTIVE Case AB.....	114
ACTIVE Case AB Refill.....	115
ACTIVE Case C.....	115
ACTIVE Case C Refill.....	115

**EXPLANATION**

**SYMBOLS**

 Silicon free	 Chemical free	 Touch screen	 Cut Protection	 Anti-static	 Anti-fog
 Anti-scratch	 Resistant to extreme temperature	 Impact resistant	 Anti dust Anti splash	 24 gram	 Dolomite Test
 Face seal	 Nasal clip	 Preformed nose bridge	 Valve	 3D	 Foldable
 Premium Quality	 Sanitized Activfresh	 CONFIDENCE IN TEXTILES Tested for harmful substances according to Oeko-Tex® Standard 100 15 HCN 70502 Institute	 ESD Electro Static Discharge	 0% Metal	 LATEX Latex free
 Light Weight	 Oil and hydrocarbon resistant sole	 Shock Absorbing	 Slip Resistant	 Water resistant	 Toe cap



# NOTES

## ACTIVE GEAR

A series of horizontal dotted lines for writing notes.

# GET IN TOUCH WITH US



**ACTIVE GEAR**



**@ACTIVEGEAR.EU**



**ACTIVE GEAR**



**+39 388 7780409**



**ACTIVE GEAR ITALIA**

italia@activegear.eu  
+39 031 766232

**ACTIVE GEAR SA**

Route de Chantemerle 58d  
1763 Granges-Paccot  
Switzerland

---

**WWW.ACTIVEGEAR.EU**