



# SAFETY GLASSES

## SS-2533



Most popular safety spectacles, available in tricolor frame or other color frame.

One piece PC lens, Nylon frame and side shield for extra protection. Adjustable temple legs.

Conforms to ANSI Z87.1 / CE EN 166.

Certification identified by [INSPEC International](#)

## SS-2773



SS-2773 is an ECONOMIC product. One piece curve PC lens with wide range vision and protection.

Sleek frameless with ultra-lightweight design suitable for everyday wear.

Metal free design especially suitable for employee who work in electronic industrial or even general outdoor usage.

Conforms to ANSI Z87.1 and CE EN166 certification.

## SS-2743



SS-2743 is one of our stylish safety glasses, with smooth design and ventilation hole for great wearing experience.

Trendy Nylon frame with one piece PC anti high density impact lens and replaceable nose pad.

Suitable in general eye protection or even workplace safety such as industrial, factory, manufactory...etc.

Meet CE EN166 and ANSI Z87.1

## SS-5623M



SS-5623 is an economic safety spectacle with simple sleek looking, wide range protection, flexible temple lens and soft replaceable nose pad.

Legs side rubber provides higher stable and comfort. Whole mirror coating body including lens and legs enhance fashion and UV protection contemporary.

SS-5623 passed CE EN166 & ANSI Z87.1 standard.



# SAFETY GLASSES

## VG-2010



VG-2010 is an Economic visitor disposable spectacle.  
Fit over prescription glasses, PC lens.  
Standard item is without hard coating.  
Conforms to ANSI Z87.1 and CE EN 166.

## SS-6100



SS-6100 is the futuristic style safety eyewear, with soft inner foam and sliver appearance.  
Buckle design leg could easy change to elastic band for sporting purpose.  
Wrap around inner EVA foam provide safety and comfortable face contact.  
Meet ANSI Z87.1 / CE EN166.

## SS-266



SS-266 is an old school robust PC safety eyewear, side shield and top lid protection make SS-266 become the high level safety equipment.  
Two piece PC Lens with impact resistant. Also adjustable in leg inclination and length.  
Conforms to ANSI Z87.1 and CE EN 166.

## SS-2996M



SS-2996 is a great protective safety glasses with blue mirror coating.  
Comfort legs with special design color rubber pads.  
Top protection conformed with ANSI Z87.1.



# SAFETY GOGGLES

## SG-231



Economic safety goggle.

Soft PVC frame, PC lens. Direct vents on both sides and top. Anti-dust and impact.

CE EN 166 or ANSI Z87.1 standard available.

## SG-234



Soft PVC frame, PC lens, indirect round vents on top and bottom, anti-chemical liquid, dust and impact.

Passed CE liquid and large dust particles test. CE EN166 and ANSI Z87.1 are available.

## LG-2503



Economic safety goggle suitable for laboratory use.

Compliance with any myopic glasses, PVC frame, with scratch resistant PC lens. Indirect ventilation.

Conforms to ANSI Z87.1 and CE EN 166.

## SG-217



SG-217 is an elegant design safety goggle, with clear lens and elastic band.

Sporty style anti wind goggle and light weight for easy to carry out.



# SAFETY GOGGLES



## SG-271

SG-271 is the high CP safety goggle with indirect ventilation hole.

Great wearing experience while all day usage.

Spherical PC lens offer very wide view. PVC frame.

Meet CE EN 166 and ANSI Z87.1 certification.



## LG-2510

LG-2510 is a high quality dual material large safety goggle with wide vision and clear lens.

Special PP + TPR frame for better wearing experience and comfort. High definition viewing area.

Superior design for trendy.

Conforms to CE EN166 and ANSI Z87.1 certification.



## SP-190

Spherical Dual Lens with anti-impact, anti-scratch PC lens to maximize protection.

PU foam padding for proper seal. Meet ANSI Z87.1

Well design venting system to regulate airflow with anti-fog treatment aided in elimination of fogging.

Painting frame for sleek finish.

Unisex adult goggle. UVA and UVB protection.

Mirror coating to reduce sun glare and reflection.



## SP-230

TPU material frame ski goggle, anti-low temperature environment.

Standard ski goggle including double PC lens with anti-scratch, anti-mist and UV 100% protection, soft foam wrap around frame and nose bridge, high quality elastic band, painted TPU frame.



## WELDING GOGGLES



### WG-235

New design nose bridge for more comfortable experience.

Lens size dia. 50mm.

CE EN 175 and ANSI Z87.1 are available.



## WELDING HELMETS



### WH-733

Welding hand shield

Fix front

Without lens.

CE EN 175 available.

WH-733: window size 90 X 110mm.



### WH-758

Safety welding helmet

Welding helmet, PP material, with headgear H-720 ratchet adjustable headgear.

Without lens.

WH-758: fix window, size 90mm x110 mm

CE EN175 and ANSI Z87.1 standard.



# SAFETY HELMETS



## SM-904

SM-904: V guard style PP helmet, with CS-2R PE four point suspension, with ventilation hole on the top.

Standard color: white, yellow, blue, orange and red.

CE and ANSI standard.



## CS-2R / CS-22P

Safety suspension

CS-2R: Ratchet type PE suspension.

CS-22P: 4 point woven suspension, slip ratchet adjustment.

Features overview:

Durable and adjust easily

## CS-1 / CS-11 / CS-12

Deluxe chin strap with chin cup to provide a comfortable and secure fit. Easily attached to and compatible with all our safety helmet range.

CS1: Woven chin strap

CS11: Elastic chin strap

CS12: Woven chin strap with quick release



## SM-913

Working bump cap

Insert with high quality plastic shell provide good protection, additional soft EVA pad has shock absorb function. Standard color: Navy blue / black.

CE Standard EN812





## FACE SHIELDS



### FS-802

Light weight face shield, with elastic band.  
Economic  
Standard color yellow. Visor size: 8"x12".  
CE Standard.



### H-85A

Visor holder, PP material, ratchet type knob, impact resistant. Standard color: yellow.  
Special designed adjustable choke hinge supports every kind of visor.  
CE and ANSI Standard.



### H-86

Visor bracket, fit with helmet and visor  
POM visor bracket, assemble with safety helmet and visor (H-86701 assemble with clips)  
CE EN 166, 1731 and ANSI Z87.1 are available.



### FC-45

High quality PC Clear Visor meeting ANSI, CE and CSA standard  
Size: 8"x15 1/2"  
FC-45 - 0.8mm thickness Aluminum bound



## EARMUFFS



### EP-106

Additional synthetic leather provide additional comfortable.

POM headband, ABS cups and soft PVC cushions.

NRR: 21dB, SNR: 27.5dB.

Headband is adjustable.

CE and ANSI standard. Standard color: yellow



### EP-187

EP-187 is special for helmet earmuff.

Metal free, Adaptor POM, HIPS cup and soft PVC cushion, entire revertible clamps structure provides better strength and sound-insulated effect.

Super comfort and easy to install.

Meets CE and ANSI standard. NRR: 30dB, SNR: 23dB.



### EP-107D

EP-107 is a foldable and compact design, additional synthetic leather cushion.

POM headband, HIPS cups and soft PVC cushions.

Meets CE and ANSI standard.

NRR: 34dB, SNR: 30.4dB.



### EP-171

Reduced noise level, protecting hearing sense, amplifying tone and keeping off external loud noise.

Receiving voice at 400~4000 Hz. making voice clearer.

All voice interrupted when exceeding 82dB in order to protect user. Ideal in shooting, hunting, industrial training.

CE and ANSI standard.

NRR: 28dB, SNR: 31dB.





## **EARPLUGS**



### **EP-509**

PU foam earplug, one size fit all.

CE EN352-2 and ANSI S3.19 standard.

NRR: 32dB, SNR: 37dB.

Suitable for above general protection, including sports, working, study, sleeping...etc.



### **EP-519**

Excellent noise reduction disposable PU foam earplug, one size fit all.

PU ear foam with cord.

SNR: 37dB and NRR: 32dB, ANSI and CE standard.



### **EP-565**

Soft rubber earplug, unique 4-layer cut off design, hollow design perfect fits ear and reduce internal pressure for comfortable use.

Meet CE EN 352-2 and ANSI S3.19 certificated. NRR: 27dB, SNR: 28dB. Available in yellow color.

EP-565: earplug with PP tubular insert device, nylon neck string, and portable poly box in poly bag.



### **EP-545**

PP neck band silicone earplugs

Silicone tip, non-replaceable, CE and ANSI standard, NRR: 26dB, SNR: 19dB.



# RESPIRATORS



## RM-606

Silicon material provides soft contact with face.  
It meets CE EN140: 1998 standard.  
Use cartridges R-660 series.



## RM-673

With natural rubber, one cartridge or twin cartridges type  
are both available.



## NP-305

Twin cartridge, twin exhalation valve half face respirator.



## R-620 / R-622

R-620: Dust cartridge

R-622: anti-painting or spray



## OTHER PRODUCTS



### **AT-01B / AT-01BY**

Special anti-slip tape with adhesive design.

Size (W\*L) : 2" \* 50 yard

Wing DIA. 85MM

AT-01B: Black color

AT-01BY: Black/ yellow colors



### **WTA**

Adhesive warning tape

Size (W\*L\*D): 48mm \* 20m

WTA-002BY: Black/Yellow colors

WTA-002RW: Red/White colors



### **WVTM**

TOPMASTER working vest 65% polyester / 35% cotton

Size from M to XXXL.



### **SV-4403**

Reflective safety vest.

Material: Nylon Mesh, PVC yellow tape.